


UC-NRLF



5B 543 644

LIBRARY
OF THE
UNIVERSITY OF CALIFORNIA.

Class





Digitized by the Internet Archive
in 2008 with funding from
Microsoft Corporation

MATHEMATICAL MONOGRAPHS.

EDITED BY

Mansfield Merriman and Robert S. Woodward.

Octavo, Cloth, \$1.00 each.

No. 1. HISTORY OF MODERN MATHEMATICS.

By DAVID EUGENE SMITH.

No. 2. SYNTHETIC PROJECTIVE GEOMETRY.

By GEORGE BRUCE HALSTED.

✓ **No. 3. DETERMINANTS.**

By LAENAS GIFFORD WELD.

✓ **No. 4. HYPERBOLIC FUNCTIONS.**

By JAMES McMAHON.

✓ **No. 5. HARMONIC FUNCTIONS.**

By WILLIAM E. BYERLY.

No. 6. GRASSMANN'S SPACE ANALYSIS.

By EDWARD W. HYDE.

No. 7. PROBABILITY AND THEORY OF ERRORS.

By ROBERT S. WOODWARD.

No. 8. VECTOR ANALYSIS AND QUATERNIONS.

By ALEXANDER MACFARLANE.

No. 9. DIFFERENTIAL EQUATIONS.

By WILLIAM WOOLSEY JOHNSON.

✓ **No. 10. THE SOLUTION OF EQUATIONS.**

By MANSFIELD MERRIMAN.

No. 11. FUNCTIONS OF A COMPLEX VARIABLE.

By THOMAS S. FISKE.

PUBLISHED BY

JOHN WILEY & SONS, NEW YORK.

CHAPMAN & HALL, Limited, LONDON.

MATHEMATICAL MONOGRAPHS.

EDITED BY

MANSFIELD MERRIMAN AND ROBERT S. WOODWARD.

No. 3.

DETERMINANTS.


BY

LAENAS GIFFORD WELD,

PROFESSOR OF MATHEMATICS IN THE STATE UNIVERSITY OF IOWA.

FOURTH EDITION, ENLARGED.

FIRST THOUSAND.



NEW YORK:

JOHN WILEY & SONS.

LONDON: CHAPMAN & HALL, LIMITED

1906.

W4

COPYRIGHT, 1896,
BY
MANSFIELD MERRIMAN AND ROBERT S. WOODWARD
UNDER THE TITLE
HIGHER MATHEMATICS.

First Edition, September, 1896.
Second Edition, January, 1898.
Third Edition, August, 1900.
Fourth Edition, January, 1906.



ROBERT DRUMMOND, PRINTER, NEW YORK.

EDITORS' PREFACE.

THE volume called Higher Mathematics, the first edition of which was published in 1896, contained eleven chapters by eleven authors, each chapter being independent of the others, but all supposing the reader to have at least a mathematical training equivalent to that given in classical and engineering colleges. The publication of that volume is now discontinued and the chapters are issued in separate form. In these reissues it will generally be found that the monographs are enlarged by additional articles or appendices which either amplify the former presentation or record recent advances. This plan of publication has been arranged in order to meet the demand of teachers and the convenience of classes, but it is also thought that it may prove advantageous to readers in special lines of mathematical literature.

It is the intention of the publishers and editors to add other monographs to the series from time to time, if the call for the same seems to warrant it. Among the topics which are under consideration are those of elliptic functions, the theory of numbers, the group theory, the calculus of variations, and non-Euclidean geometry; possibly also monographs on branches of astronomy, mechanics, and mathematical physics may be included. It is the hope of the editors that this form of publication may tend to promote mathematical study and research over a wider field than that which the former volume has occupied.

December, 1905.

iii

AUTHOR'S PREFACE.

THE author of the present volume feels some embarrassment in having already offered to the public a work upon the Theory of Determinants. The apparently general acceptability of this former work, which has now reached its third edition, doubtless led to his being invited by the editors of Higher Mathematics to prepare for them a chapter upon the same subject. This was done without the least thought of its publication as a separate volume. Now that its issue as such, along with the other chapters, is requested by both the publishers and the editors of Higher Mathematics, it is but just to the author that the above circumstances should be understood lest he be suspected of entertaining an unseemly desire to keep himself before the mathematical public by vain repetition.

The limitations imposed have permitted the addition of only a few articles to the work as originally published; principally those treating of linear substitutions, quantics, invariance, covariance, and functional determinants. Determinants of special forms have not been considered, nor is there the least reference to the application of determinants to geometry. It is hoped, however, that the work may prove useful to the constantly increasing number of students who, while not wishing to specialize in mathematics, desire to obtain the comprehensive view of its methods and processes essential to the successful pursuit of the exact sciences in general.

IOWA CITY, IOWA, U. S. A.,
December, 1905.

CONTENTS.

ART. 1. INTRODUCTION	Page 7
2. PERMUTATIONS	8
3. INTERCHANGE OF TWO ELEMENTS	9
4. POSITIVE AND NEGATIVE PERMUTATIONS	10
5. THE DETERMINANT ARRAY	10
6. DETERMINANT AS FUNCTION OF n^2 ELEMENTS	11
7. EXAMPLES OF DETERMINANTS	12
8. NOTATIONS	13
9. SECOND AND THIRD ORDERS	14
10. INTERCHANGE OF ROWS AND COLUMNS	16
11. INTERCHANGE OF TWO PARALLEL LINES	17
12. TWO IDENTICAL PARALLEL LINES	17
13. MULTIPLYING BY A FACTOR	18
14. A LINE OF POLYNOMIAL ELEMENTS	18
15. COMPOSITION OF PARALLEL LINES	19
16. BINOMIAL FACTORS	20
17. CO-FACTORS; MINORS	21
18. DEVELOPMENT IN TERMS OF CO-FACTORS	23
19. THE ZERO FORMULAS	25
20. CAUCHY'S METHOD OF DEVELOPMENT	26
21. DIFFERENTIATION OF DETERMINANTS	28
22. RAISING THE ORDER	29
23. LOWERING THE ORDER	30
24. SOLUTION OF LINEAR EQUATIONS	31
25. CONSISTENCE OF LINEAR SYSTEMS	32
26. THE MATRIX	35
27. HOMOGENEOUS LINEAR SYSTEMS	35
28. CO-FACTORS IN A ZERO DETERMINANT	37
29. SYLVESTER'S METHOD OF ELIMINATION	38
30. THE MULTIPLICATION THEOREM	40
31. PRODUCT OF TWO RECTANGULAR ARRAYS	43
32. RECIPROCAL DETERMINANTS	44
33. LINEAR TRANSFORMATIONS	44
34. QUANTICS; INVARIANTS AND COVARIANTS	45

ART. 35. THE DISCRIMINANT	Page 46
36. COMPOSITE QUADRICS	47
37. DISCRIMINANT OF BINARY QUANTIC AN INVARIANT	47
38. THE JACÓBIAN	48
39. JACOBIAN OF INDIRECT FUNCTIONS	49
40. THE JACOBIAN A COVARIANT	50
41. JACOBIAN OF IMPLICIT FUNCTIONS	50
42. THE HESSIAN	51
INDEX	55

DETERMINANTS.

ART. 1. INTRODUCTION.

AS early as 1693 Leibnitz arrived at some vague notions regarding the functions which we now know as determinants. His researches in this subject, the first account of which is contained in his correspondence with De L'Hospital, resulted simply in the statement of some rather clumsy rules for eliminating the unknowns from systems of linear equations, and exerted no influence whatever upon subsequent investigations in the same direction. It was over half a century later, in 1750, that Gabriel Cramer first formulated an intelligible and general definition of the functions, based upon the recognition of the two classes of permutations, as presently to be set forth.

Though Cramer failed to recognize, even to the same extent as Leibnitz, the importance of the functions thus defined, the development of the subject from this time on has been almost continuous and often rapid. The name "determinant" is due to Gauss, who, with Vandermonde, Lagrange, Cauchy, Jacobi, and others, ranks among the great pioneers in this development.

Within recent years the theory of determinants has come into very general use, and has, in the hands of such mathematicians as Cayley and Sylvester, led to results of the greatest interest and importance, both through the study of special forms of the functions themselves and through their applications.*

* A list of writings on Determinants is given by Muir in *Quarterly Journal of Mathematics*, 1881, Vol. XVIII, pp. 110-149.

ART. 2. PERMUTATIONS.

The various orders in which the elements of a group may be arranged in a row are called their permutations.

Any two elements, as a and b , may be arranged in two orders: ab and ba . A third, as c , may be introduced into each of these two permutations in three ways: before either element, or after both; thus giving $3 \times 2 = 6$ permutations of the three elements. In like manner an additional element may be introduced into each of the permutations of i elements in $(i+1)$ ways: before any one of them, or after all. Hence, in general, if P_i denote the number of permutations of i elements, $P_{i+1} = (i+1)P_i$. Now, $P_3 = 3 \times 2 \times 1 = 3!$; hence $P_4 = 4 \times 3! = 4!$; and, n being any integer,

$$P_n = n(n-1)(n-2) \dots 1 = n!.$$

That is, the number of permutations of n elements is $n!$.

For all integral values of n greater than unity, $n!$ is an even number.

If the elements of any group be represented by the different letters, a, b, c, \dots , the alphabetical order will be considered as the *natural order* of the elements. If represented by the same letter with different indices, thus:

$$a_1, a_2, a_3, \dots; \text{ or thus: } a', a'', a''', \dots,$$

the natural order of the elements is that in which the indices form a continually increasing series.

Any two elements, whether adjacent or not, standing in their natural order in a permutation constitute a permanence; standing in an order which is the reverse of the natural, an inversion. Thus, in the permutation $daecb$, the permanences are de, ae, ab, ac ; the inversions, da, dc, db, ec, eb, cb .

The permutations of the elements of a group are divided into two classes, viz.: even or positive permutations, in which the number of inversions is even; and odd or negative permutations, in which the number of inversions is odd.

When the elements are arranged in the natural order the number of inversions is zero—an even number.

Thus, the even or positive permutations of the elements a_1, a_2, a_3 are

$$a_1 a_2 a_3, \quad a_2 a_3 a_1, \quad a_3 a_1 a_2;$$

while the odd or negative permutations are

$$a_3 a_2 a_1, \quad a_1 a_3 a_2, \quad a_2 a_1 a_3.$$

ART. 3. INTERCHANGE OF TWO ELEMENTS.

It will now be shown that if, in any permutation of the elements of a group, two of the elements be interchanged the class of the permutation will be changed.

Let q and s be the elements in question. Then, representing collectively all the elements which precede these two by P , those which fall between them by R , and those which follow by T , any permutation of the group may be written

$$PqRsT.$$

Of the elements R , supposed to be r in number, let represent

$$\begin{array}{llllll} h & \text{the number of an order higher than } q, \\ i & \text{“ “ “ “ “ lower “ } q, \\ j & \text{“ “ “ “ “ lower “ } s, \\ k & \text{“ “ “ “ “ higher “ } s. \end{array}$$

It is evident that no change in the order of the elements qRs can affect their relations to the elements of either P or T . Then, passing from the order $PqRsT$ to the order

$$PRqsT$$

changes the number of inversions by $(h - i)$; and passing from this to the order

$$PsRqT$$

again changes the number of inversions by $(j - k) \pm 1$, the $\left\{ \begin{array}{l} \text{plus} \\ \text{minus} \end{array} \right\}$ sign being used as q is of $\left\{ \begin{array}{l} \text{lower} \\ \text{higher} \end{array} \right\}$ order than s .

The total change in the number of inversions due to the interchange of the two elements in question is, therefore,

$$h - i + j - k \pm 1.$$

But since $i = r - h$ and $k = r - j$, this may be written

$$2(h + j - r) \pm 1,$$

which is an odd number for all admissible values of h, j , and r . Hence, the interchange of any two elements in a permutation changes the number of inversions by an odd number, thus changing the class of the permutation.

ART. 4. POSITIVE AND NEGATIVE PERMUTATIONS.

Of all the permutations of the elements of a group, one half are even and one half odd.

To prove this, write out all the permutations. Now choose any two of the elements and interchange them in each permutation. The result will be the same set of permutations as before, only differently arranged. But each $\left\{ \begin{smallmatrix} \text{even} \\ \text{odd} \end{smallmatrix} \right\}$ permutation of the old set has been converted into an $\left\{ \begin{smallmatrix} \text{odd} \\ \text{even} \end{smallmatrix} \right\}$ one in the new. Hence, in either set, there are as many even permutations as odd; that is, one half are even and one half odd.

Prob. 1. Classify the following permutations:

- (1) $b c d e a$; (2) III V I II IV; (3) $k n i m l j$;
 (4) $a'' a^v a' a^{1v} a'''$; (5) $\beta \epsilon \gamma \zeta \alpha \delta$; (6) $5 2 4 1 3$;
 (7) $x_1 x_3 x_0 x_4 x_2 x_5$; (8) F. Tu. M. Th. W.; (9) $\mu \kappa \nu \iota \lambda$.

Prob. 2. Derive the formula for the number of permutations of n elements taken m at a time. (Ans. $n!/(n-m)!$.)

Prob. 3. How many combinations of m elements arranged in the natural order may be selected from a group of n elements? (Ans. $n!/m!(n-m)!.$)

Prob. 4. Show that $0! = 1$.

ART. 5. THE DETERMINANT ARRAY.

Assume n^2 elements arranged in n vertical ranks or columns, and n horizontal ranks or rows, thus:

$$\begin{array}{ccccccc} a_1' & a_1'' & \dots & a_1^{(n)} & & & \\ a_2' & a_2'' & \dots & a_2^{(n)} & & & \\ \dots & \dots & \dots & \dots & \dots & \dots & \\ a_n' & a_n'' & \dots & a_n^{(n)} & & & \end{array}$$

In this array all the elements in the same column have the same superscript, and those in the same row the same subscript. The columns being arranged in order from left to right, and the rows likewise in order from the top row downward, the position of any element of the array is shown at once by its indices. Thus, a_3''' is in the third column and the fifth row of the above array.

The diagonal passing through the elements $a_1', a_2'', \dots a_n^{(n)}$ is called the principal diagonal of the array; that passing through $a_n', a_{n-1}'', \dots a_1^{(n)}$, the secondary diagonal. The position occupied by the element a_1' is designated as the leading position.

ART. 6. DETERMINANT AS FUNCTION OF n^2 ELEMENTS.

The array just considered, inclosed between two vertical bars, thus :

$$\begin{vmatrix} a_1' & a_1'' & \dots & a_1^{(n)} \\ a_2' & a_2'' & \dots & a_2^{(n)} \\ \dots & \dots & \dots & \dots \\ a_n' & a_n'' & \dots & a_n^{(n)} \end{vmatrix}$$

is used in analysis to represent a certain function of its n^2 elements called their determinant.* This function may be defined as follows :

Write down the product of the elements on the principal diagonal, taking them in the natural order; thus :

$$a_1' a_2'' a_3''' \dots a_n^{(n)}.$$

This product is called the principal term of the determinant. Now permute the subscripts in this principal term in every possible way, leaving the superscripts undisturbed. To such of the $n!$ resulting terms as involve the even permutations of the subscripts give the positive sign; to those involving the odd

* This notation was first employed by Cauchy in 1815. See DOSTOY'S *Théorie des déterminants*, Paris, 1877.

permutations, the negative sign. The algebraic sum of all the terms thus formed is the determinant represented by the given array.

ART. 7. EXAMPLES OF DETERMINANTS.

Applying the process above explained to the array of four elements gives

$$\begin{vmatrix} a_1' & a_1'' \\ a_2' & a_2'' \end{vmatrix} \equiv a_1' a_2'' - a_2' a_1''. \quad (1)$$

As an example of a determinant of nine elements, with its expansion, may be written

$$\begin{vmatrix} a_1' & a_1'' & a_1''' \\ a_2' & a_2'' & a_2''' \\ a_3' & a_3'' & a_3''' \end{vmatrix} \equiv + a_1' a_2'' a_3''' + a_2' a_3'' a_1''' + a_3' a_1'' a_2''' \\ - a_3' a_2'' a_1''' - a_1' a_3'' a_2''' - a_2' a_1'' a_3'''. \quad (2)$$

It is evident, from the mode of its formation, that each term of the expansion of a determinant contains one, and only one, element from each column and each row of the array.

It follows that every complete determinant is a homogeneous function of its elements. The degree of this function, with respect to its elements, is called the order of the determinant. Thus, (1) and (2) are of the second and third order respectively.

The definition of a determinant given in the preceding article is once more illustrated by the following example of a determinant of the fourth order with its complete development :

$$\begin{vmatrix} a_1 & b_1 & c_1 & d_1 \\ a_2 & b_2 & c_2 & d_2 \\ a_3 & b_3 & c_3 & d_3 \\ a_4 & b_4 & c_4 & d_4 \end{vmatrix} \equiv \left. \begin{aligned} &+ a_1 b_2 c_3 d_4 - a_1 b_2 c_4 d_3 - a_1 b_3 c_2 d_4 + a_1 b_3 c_4 d_2 \\ &+ a_1 b_3 c_4 d_2 - a_1 b_4 c_2 d_3 - a_2 b_1 c_3 d_4 + a_2 b_1 c_4 d_3 \\ &+ a_2 b_1 c_4 d_3 - a_2 b_2 c_3 d_4 - a_3 b_1 c_2 d_4 + a_3 b_1 c_4 d_2 \\ &+ a_3 b_1 c_4 d_2 - a_3 b_2 c_1 d_3 - a_3 b_3 c_1 d_4 + a_3 b_3 c_4 d_1 \\ &+ a_3 b_3 c_4 d_1 - a_4 b_3 c_1 d_2 - a_2 b_3 c_4 d_1 + a_2 b_4 c_3 d_1 \\ &+ a_4 b_2 c_3 d_1 - a_4 b_2 c_4 d_1 - a_4 b_3 c_2 d_1 + a_4 b_3 c_4 d_1 \end{aligned} \right\} \quad (3)$$

It will be noticed that, in this case, the columns are ranked alphabetically instead of by the numerical values of a series of indices.

ART. 8. NOTATIONS.

Besides the notations already employed, the following is very extensively used :

$$\begin{vmatrix} a_{11} & a_{12} & \dots & a_{1n} \\ a_{21} & a_{22} & \dots & a_{2n} \\ \dots & \dots & \dots & \dots \\ a_{n1} & a_{n2} & \dots & a_{nn} \end{vmatrix}.$$

This is called the double-subscript notation ; the first subscript indicating the rank of the row, the second that of the column. Thus the element a_{23} is in the second row and the third column. The letters are sometimes omitted, the elements being thus represented by the double subscripts alone.*

Instead of writing out the array in full, it is customary, when the elements are merely symbolic, to write only the principal term and enclose it between vertical bars. This is called the umbral notation. Thus, the determinant of the n th order is written

$$| a_1' a_2'' \dots a_n^{(n)} | ;$$

or, using double subscripts,

$$| a_{11} a_{22} \dots a_{nn} | .$$

These last two forms are sometimes still further abridged to

$$| a_1^{(n)} | \quad \text{and} \quad | a_{1,n} | ,$$

respectively.

Prob. 5. Write out the developments of the following determinants:

$$(1) \begin{vmatrix} a_1 & b_1 \\ a_2 & b_2 \end{vmatrix} ; \quad (2) \begin{vmatrix} p' & p'' \\ q' & q'' \end{vmatrix} ; \quad (3) \begin{vmatrix} p' & q' \\ p'' & q'' \end{vmatrix} ; \quad (4) \begin{vmatrix} a & b \\ \alpha & \beta \end{vmatrix} ;$$

* Leibnitz indicated the elements of a determinant in this same manner, though he made no use of the array.

$$(5) | a_1 b_2 c_3 | ; \quad (6) \begin{vmatrix} p' p'' p''' \\ q' q'' q''' \\ r' r'' r''' \end{vmatrix} ; \quad (7) \begin{vmatrix} p' & q' & r' \\ p'' & q'' & r'' \\ p''' & q''' & r''' \end{vmatrix} ; \quad (8) \begin{vmatrix} a & b & c \\ \alpha & \beta & \gamma \\ x & y & z \end{vmatrix} ;$$

$$(9) | 11, 22 | ; \quad (10) | a_{1,3} | ; \quad (11) | l_0 m_1 n_2 | ; \quad (12) | a_{11} a_{22} a_{33} a_{44} | .$$

Prob. 6. How many terms are there in the development of the determinant $| a_1^{vi} |$?

In the above determinant tell the signs of the terms :

$$(1) a_6' a_2'' a_1''' a_4^{iv} a_5^v a_3^{vi} ; \quad (2) a_1' a_3'' a_2''' a_6^{iv} a_5^v a_4^{vi} ;$$

$$(3) a_6' a_4'' a_5''' a_1^{iv} a_3^v a_2^{vi} .$$

Prob. 7. Show that in the expansion of any determinant, all of whose elements are positive, one half the terms are positive and one half negative.

Prob. 8. In determinants of what orders is the term containing the elements on the secondary diagonal (called the secondary term) positive ?

Prob. 9. What is the order of the determinant whose secondary term contains 10 inversions ? 36 inversions ?

Prob. 10. In the expansion of a determinant of the n th order, how many terms contain the leading element ?

ART. 9. SECOND AND THIRD ORDERS.

Simple rules will now be given for writing out the expansions of determinants of the second and third orders directly from the arrays by which they are represented.

To expand a determinant of the second order, write the product of the elements on the principal diagonal minus the product of those on the secondary diagonal, thus :

$$\begin{vmatrix} a & b \\ c & d \end{vmatrix} \equiv ad - bc.$$

Likewise,
$$\begin{vmatrix} -9 & 5 \\ -2 & \frac{1}{3} \end{vmatrix} = -3 + 10 = 7.$$


The following method is applicable to determinants of the third order :*

* This method was first given by Sarrus, and is often called the rule of Sarrus; see Finck's *Éléments d'Algèbre*, 1846, p. 95.

Beneath the square array let the first two rows be repeated in order, as shown in the figure.

Now write down six terms, each the product of the three elements lying along one of the six oblique lines parallel to the diagonals of the original square.

Give to those terms whose elements lie on lines parallel to the principal diagonal the positive sign; to the others, the negative sign. The result is the required expansion. Ap-



plying the method to the determinant just written gives

$$|a_1 b_1 c_1| = a_1 b_2 c_3 + a_2 b_3 c_1 + a_3 b_1 c_2 - a_3 b_2 c_1 - a_1 b_3 c_2 - a_2 b_1 c_3.$$

After a little practice the repetition of the first two rows will be dispensed with.

The above methods are especially useful in expanding determinants whose elements are not marked with indices, or in evaluating those having numerical elements. No such simple methods can be given for developing determinants of higher orders, but it will be shown later that these can always be resolved into determinants of the third or second order.

Prob. 11. Develop the following determinants:

- (1) $\begin{vmatrix} a & h & g \\ h & b & f \\ g & f & c \end{vmatrix}$; (2) $\begin{vmatrix} 0 & -n & -m \\ n & 0 & -l \\ m & l & 0 \end{vmatrix}$; (3) $\begin{vmatrix} A & c & b \\ c & B & a \\ b & a & C \end{vmatrix}$;
- (4) $\begin{vmatrix} x_0 & y_0 & 1 \\ x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \end{vmatrix}$; (5) $\begin{vmatrix} 1 & P & Q \\ 0 & \cos \alpha & \sin \beta \\ 0 & \sin \alpha & \cos \beta \end{vmatrix}$; (6) $\begin{vmatrix} \cos \alpha & \sin \beta \\ \sin \alpha & \cos \beta \end{vmatrix}$;
- (7) $\begin{vmatrix} 1 & \cos \alpha \\ \cos \alpha & 1 \end{vmatrix}$; (8) $\begin{vmatrix} 1 & \sqrt{-1} \\ 4 & \sqrt{-2} \end{vmatrix}$; (9) $\begin{vmatrix} a & b & c \\ c & a & b \\ b & c & a \end{vmatrix}$.

Prob. 12. Evaluate the following:

- (1) $\begin{vmatrix} 1 & 2 & 3 \\ 3 & 1 & 2 \\ 2 & 3 & 1 \end{vmatrix}$; (2) $\begin{vmatrix} -2 & -2 & \frac{1}{2} \\ 0 & -2 & 0 \\ 12 & 2 & 1 \end{vmatrix}$; (3) $\begin{vmatrix} -1 & -\sqrt{-1} & -\sqrt{-1} \\ \sqrt{-1} & -1 & -\sqrt{-1} \\ \sqrt{-1} & \sqrt{-1} & -1 \end{vmatrix}$.
- (Ans. 18; 16; 2.)

Whatever theorem, therefore, is demonstrated with reference to the rows of a determinant is also true with reference to the columns.

The rows and columns of a determinant array are alike called lines.

ART. 11. INTERCHANGE OF TWO PARALLEL LINES.

If any two parallel lines of a determinant be interchanged, the determinant will be changed only in sign.

For, interchanging any two parallel lines of a determinant array amounts to the same thing as interchanging, in every term of the expansion, the indices which correspond to these lines. Since this changes the class of each permutation of the indices in question from odd to even or from even to odd, it changes the sign of each term of the expansion, and therefore that of the whole determinant.

It follows from the above that if any line of a determinant be passed over m parallel lines to a new position in the array the new determinant will be equal to the original one multiplied by $(-1)^m$.

The element $a_k^{(s)}$ may be brought to the leading position by passing the k th row over the $(k-1)$ preceding rows, and the s th column over the $(s-1)$ preceding columns. This being done the determinant is multiplied by

$$(-1)^{k-1} \cdot (-1)^{s-1} = (-1)^{k+s},$$

which changes its sign or not according as $(k+s)$ is odd or even.

The position occupied by $a_k^{(s)}$ is called a positive position when $(k+s)$ is even; a negative position when $(k+s)$ is odd.

ART. 12. TWO IDENTICAL PARALLEL LINES.

A determinant in which any two parallel lines are identical is equal to zero.

For the interchange of these two parallel lines, while it

any term of the expansion of the determinant Δ is

$$\begin{aligned} \pm a_h B_i c_j \dots &= \pm a_h b_i c_j \dots \mp a_h b'_i c_j \dots \\ &\quad \pm a_h b''_i c_j \dots \pm \dots \end{aligned} \quad (2)$$

The terms in the expansion of Δ are obtained by permuting the subscripts h, i, j, \dots of $a_h B_i c_j \dots$. But permuting at the same time the subscripts of the terms in the second member of (2), and giving to each term thus obtained its proper sign, there results

$$\Delta \equiv |a_1 B_2 c_3 \dots| = |a_1 b_2 c_3 \dots| - |a_1 b'_2 c_3 \dots| + |a_1 b''_2 c_3 \dots| \pm \dots,$$

which proves the theorem.

ART. 15. COMPOSITION OF PARALLEL LINES.

If each element of a line of a determinant be multiplied by a given factor and the product added to the corresponding element of any parallel line, the value of the determinant will not be changed; thus:

$$\begin{vmatrix} a_{11} & a_{12} & a_{13} & \dots & a_{1n} \\ \dots & \dots & \dots & \dots & \dots \\ a_{n1} & a_{n2} & a_{n3} & \dots & a_{nn} \end{vmatrix} = \begin{vmatrix} a_{11} & a_{12} & (a_{13} + ma_{11}) & \dots & a_{1n} \\ \dots & \dots & \dots & \dots & \dots \\ a_{n1} & a_{n2} & (a_{n3} + ma_{n1}) & \dots & a_{nn} \end{vmatrix}.$$

This will appear upon resolving the second member into two determinants (Art. 14), one of which will be the given determinant, while the other, upon removal of the given factor, will vanish because of having two identical lines.

In like manner any number of parallel lines may be combined without changing the value of the determinant, care being taken not to modify in any way the elements to which are added multiples of corresponding elements from other parallel lines. For example, $|a_{1,n}|$ is equivalent to

$$\begin{vmatrix} a_{11} & (la_{11} + a_{12} - ma_{13} + \dots) & a_{13} & \dots & a_{1n} \\ & (l(a_{21} + \lambda a_{11}) + (a_{22} + \lambda a_{12})) & & & \\ (a_{21} + \lambda a_{11}) & & (a_{23} + \lambda a_{13}) & \dots & (a_{2n} + \lambda a_{1n}) \\ & -m(a_{23} + \lambda a_{13}) + \dots & & & \\ \dots & \dots & \dots & \dots & \dots \\ a_{n1} & (la_{n1} + a_{n2} - ma_{n3} + \dots) & a_{n3} & \dots & a_{nn} \end{vmatrix}.$$

ART. 16. BINOMIAL FACTORS.

A determinant which is a rational integral function of a and of b , such that if b is substituted for a the determinant vanishes, contains $(a - b)$ as a factor. For example,

$$\Delta \equiv \begin{vmatrix} a^2 - p^2 & a - q & a + r \\ b^2 - p^2 & b - q & b + r \\ p & q & r \end{vmatrix}$$

is divisible by $(a - b)$.

To prove this, let the expansion of any such determinant be written in the form

$$\Delta = m_0 + m_1 a + m_2 a^2 + \dots,$$

the coefficients m_0, m_1, m_2, \dots being independent of a . Now when b is substituted for a the determinant vanishes. Hence,

$$0 = m_0 + m_1 b + m_2 b^2 + \dots$$

Subtracting this from the preceding gives

$$\Delta = m_1(a - b) + m_2(a^2 - b^2) + \dots$$

This being divisible by $(a - b)$, the theorem is proven.

Prob. 13. Prove the following without expansion :

$$(1) \begin{vmatrix} 0 & -x & x \\ my & 0 & -y \\ -mnz & nz & 0 \end{vmatrix} = 0; \quad (2) \begin{vmatrix} 0 & c - b \\ -c & 0 & a \\ b - a & 0 \end{vmatrix} = 0;$$

$$(3) \begin{vmatrix} b + c & a & a \\ b & c + a & b \\ c & c & a + b \end{vmatrix} = 2 \begin{vmatrix} 0 & c & b \\ c & 0 & a \\ b & a & 0 \end{vmatrix};$$

$$(4) \begin{vmatrix} \frac{b^2 + c^2}{a} & a & a \\ b & \frac{c^2 + a^2}{b} & b \\ c & c & \frac{a^2 + b^2}{c} \end{vmatrix} = 2 \begin{vmatrix} 0 & c & b \\ c & 0 & a \\ b & a & 0 \end{vmatrix};$$

$$(5) \begin{vmatrix} a & \sin A & b - c \\ b & \sin B & c - a \\ c & \sin C & a - b \end{vmatrix} = 0, \text{ the elements referring to the triangle } ABC.$$

Prob. 14. Prove that

$$\begin{vmatrix} 1 & x & -a & y & -b \\ 1 & x_1 & -a & y_1 & -b \\ 1 & x_2 & -a & y_2 & -b \end{vmatrix} = \begin{vmatrix} 1 & x & y \\ 1 & x_1 & y_1 \\ 1 & x_2 & y_2 \end{vmatrix} = \begin{vmatrix} 1 & x & y \\ 0 & x_1 - x & y_1 - y \\ 0 & x_2 - x & y_2 - y \end{vmatrix}.$$

Prob. 15. Find the value of θ in the equation

$$\begin{vmatrix} \sin \theta & \sin \theta & 0 \\ -1 & 0 & 1 \\ 0 & \cos \theta & \cos \theta \end{vmatrix} = 0. \quad (\text{Ans. } \theta = \pi/4.)$$

Prob. 16. Show that the proportion $a : b :: l : m$ may be written in the form $\begin{vmatrix} a & b \\ l & m \end{vmatrix} = 0$; and from the properties of this determinant prove the common theorems in proportion.

Prob. 17. Show that the determinant $\begin{vmatrix} ab & c^2 & c^2 \\ a^2 & bc & a^2 \\ b^2 & b^2 & ca \end{vmatrix}$ contains the factor $(bc + ca + ab)$.

Prob. 18. Resolve the following determinants into factors:*

$$(1) \begin{vmatrix} 1 & a & a^2 \\ 1 & b & b^2 \\ 1 & c & c^2 \end{vmatrix}; \quad (2) \begin{vmatrix} 1 & a & a^2 & a^3 \\ 1 & b & b^2 & b^3 \\ 1 & c & c^2 & c^3 \\ 1 & d & d^2 & d^3 \end{vmatrix}; \quad (3) \begin{vmatrix} 1 & a_1 & a_1^2 & \dots & a_1^{n-1} \\ 1 & a_2 & a_2^2 & \dots & a_2^{n-1} \\ \dots & \dots & \dots & \dots & \dots \\ 1 & a_n & a_n^2 & \dots & a_n^{n-1} \end{vmatrix};$$

$$(4) \begin{vmatrix} 1 & 1 & 1 & 1 \\ a & b & c & d \\ a^2 & b^2 & c^2 & d^2 \\ a^4 & b^4 & c^4 & d^4 \end{vmatrix}; \quad (5) \begin{vmatrix} 1 & 1 & 1 & 1 \\ a & b & c \\ a^3 & b^3 & c^3 \end{vmatrix}; \quad (6) \begin{vmatrix} 1 & 1 & 1 \\ a & b & c \\ a^4 & b^4 & c^4 \end{vmatrix}.$$

ART. 17. CO-FACTORS; MINORS.

The terms of $\Delta \equiv |a_1^{(n)}|$ which contain the element a_1' may be obtained by expanding the determinant

$$\begin{vmatrix} a_1' & 0 & 0 & \dots & 0 \\ a_2' & a_2'' & a_2''' & \dots & a_2^{(n)} \\ \dots & \dots & \dots & \dots & \dots \\ a_n' & a_n'' & a_n''' & \dots & a_n^{(n)} \end{vmatrix}. \quad (I)$$

For, in writing out this expansion each term is formed by taking one, and only one, element from each column and each

* These determinants belong to an important class known as alternants. See Hanus' Elements of Determinants, Boston, 1888, pp. 187-201.

row of the array (Art. 7). If, therefore, in selecting the elements for any term, any other element than a_1' be taken from the first column, the one taken from the first row must be zero. Hence, the only terms which do not vanish are those which contain the element a_1' .

Moreover, in the terms of the expansion of (1) which do not vanish, a_1' is multiplied by $(n-1)$ elements chosen one from each column and each row of

$$\begin{vmatrix} a_2'' & a_2''' & \dots & a_2^{(n)} \\ \dots & \dots & \dots & \dots \\ a_n'' & a_n''' & \dots & a_n^{(n)} \end{vmatrix}. \quad (2)$$

There are $(n-1)!$ such terms, any one of which may be written $\pm a_1' a_i'' a_j''' \dots a_l^{(n)}$; the sign being determined by the class of the permutation of the n subscripts $1, i, j, \dots, l$. But since this is of the same class as the permutation of the $(n-1)$ subscripts i, j, \dots, l , the sign of any term, $\pm a_1' a_i'' a_j''' \dots a_l^{(n)}$, of the expansion of (1) is the same as the sign of the corresponding term, $a_i'' a_j''' \dots a_l^{(n)}$, of the expansion of (2). Hence,

$$\begin{vmatrix} a_1' & 0 & 0 & \dots & 0 \\ a_2' & a_2'' & a_2''' & \dots & a_2^{(n)} \\ \dots & \dots & \dots & \dots & \dots \\ a_n' & a_n'' & a_n''' & \dots & a_n^{(n)} \end{vmatrix} = a_1' \begin{vmatrix} a_2'' & a_2''' & \dots & a_2^{(n)} \\ \dots & \dots & \dots & \dots \\ a_n'' & a_n''' & \dots & a_n^{(n)} \end{vmatrix}. \quad (3)$$

The determinant (2) is called the co-factor or complement of the element a_1' in the determinant $|a_1^{(n)}|$. It is obtained from this determinant by deleting the first column and the first row.

The co-factor of any element $a_k^{(s)}$ may be found in the same manner upon transposing this element to the leading position. But by this transposition the sign of the determinant will be changed or not according as $a_k^{(s)}$ occupies a negative or a positive position (Art. 11). Hence, to find the co-factor of any element $a_s^{(k)}$ of the determinant $|a_1^{(n)}|$, delete the row and the column to which the element belongs, giving the resulting determinant the $\left\{ \begin{array}{l} \text{positive} \\ \text{negative} \end{array} \right\}$ sign when $(k+s)$ is $\left\{ \begin{array}{l} \text{even} \\ \text{odd} \end{array} \right\}$.

The co-factor thus obtained is represented by the symbol

$$A_k^{(s)};$$

the sign-factor of which, $(-1)^{k+s}$, is intrinsic, i.e., included in the symbol itself, which is accordingly written as positive. The co-factors of the various elements of $|a_{11}a_{22}a_{33}|$ are as follows:

$$\begin{aligned} A_{11} &\equiv \begin{vmatrix} a_{22} & a_{23} \\ a_{32} & a_{33} \end{vmatrix}; & A_{12} &\equiv - \begin{vmatrix} a_{21} & a_{23} \\ a_{31} & a_{33} \end{vmatrix}; & A_{13} &\equiv \begin{vmatrix} a_{21} & a_{22} \\ a_{31} & a_{32} \end{vmatrix}; \\ A_{21} &\equiv - \begin{vmatrix} a_{12} & a_{13} \\ a_{32} & a_{33} \end{vmatrix}; & A_{22} &\equiv \begin{vmatrix} a_{11} & a_{13} \\ a_{31} & a_{33} \end{vmatrix}; & A_{23} &\equiv - \begin{vmatrix} a_{11} & a_{12} \\ a_{31} & a_{32} \end{vmatrix}; \\ A_{31} &\equiv \begin{vmatrix} a_{12} & a_{13} \\ a_{22} & a_{23} \end{vmatrix}; & A_{32} &\equiv - \begin{vmatrix} a_{11} & a_{13} \\ a_{21} & a_{23} \end{vmatrix}; & A_{33} &\equiv \begin{vmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{vmatrix}. \end{aligned}$$

The result obtained by deleting the k th row and the s th column of $\Delta \equiv |a_1^{(n)}|$ is called the minor of the determinant with respect to the element $a_k^{(s)}$, and is written $\Delta_{(k)}^{(s)}$. This minor is the same as the co-factor of the same element without its sign-factor; thus:

$$A_k^{(s)} = (-1)^{k+s} \Delta_{(k)}^{(s)}.$$

Similarly $\Delta_{(p, k)}^{(p, s)}$ is the result obtained by deleting the k th and k th rows and the p th and s th columns of Δ , and is called a second minor of the given determinant. Minors of still lower orders are obtained in a similar manner, and expressed by a similar notation. The k th minors are determinants of the order $(n - k)$.

ART. 18. DEVELOPMENT IN TERMS OF CO-FACTORS.

The $(n - 1)!$ terms of $|a_1^{(n)}|$ which contain $a_k^{(s)}$ are represented in the aggregate by $a_k^{(s)} A_k^{(s)}$ (Eq. 3, Art. 17). In like manner the groups of terms containing the successive elements $a_k', a_k'', \dots, a_k^{(n)}$ are respectively

$$a_k' A_k', \quad a_k'' A_k'', \quad \dots, \quad a_k^{(n)} A_k^{(n)}.$$

Each one of these n groups includes $(n - 1)!$ terms of the determinant $|a_1^{(n)}|$, no one of which is found in any other

group. In all of them, then, there are $n \times (n-1)!$ or $n!$ different terms of the determinant, which is the whole number. Hence,

$$|a_1^{(n)}| = a_k' A_k' + a_k'' A_k'' + \dots + a_k^{(n)} A_k^{(n)}. \quad (1)$$

Similarly (Art. 10),

$$|a_1^{(n)}| = a_1^{(s)} A_1^{(s)} + a_2^{(s)} A_2^{(s)} + \dots + a_n^{(s)} A_n^{(s)}. \quad (2)$$

Any determinant may, by means of either (1) or (2), be resolved into determinants of an order one lower. Since, in these formulas $A_k', \dots A_k^{(n)}$ or $A_1^{(s)}, \dots A_n^{(s)}$ are themselves determinants, they may be resolved into determinants of an order still one lower in the same manner. By continuing the process any determinant may ultimately be expressed in terms of determinants of the third or second order, which may be easily expanded by methods already given (Art. 9).

For example, let it be required to develop the determinant $\Delta \equiv |a_1 b_2 c_3 d_4|$. Applying formula (1), letting $k=1$, gives

$$\Delta = a_1 \begin{vmatrix} b_2 & c_2 & d_2 \\ b_3 & c_3 & d_3 \\ b_4 & c_4 & d_4 \end{vmatrix} - b_1 \begin{vmatrix} a_2 & c_2 & d_2 \\ a_3 & c_3 & d_3 \\ a_4 & c_4 & d_4 \end{vmatrix} + c_1 \begin{vmatrix} a_2 & b_2 & d_2 \\ a_3 & b_3 & d_3 \\ a_4 & b_4 & d_4 \end{vmatrix} - d_1 \begin{vmatrix} a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \\ a_4 & b_4 & c_4 \end{vmatrix}.$$

Upon a second application of the same formula this becomes

$$\begin{aligned} \Delta &= a_1 b_2 \begin{vmatrix} c_3 & d_3 \\ c_4 & d_4 \end{vmatrix} - a_1 c_2 \begin{vmatrix} b_3 & d_3 \\ b_4 & d_4 \end{vmatrix} + a_1 d_2 \begin{vmatrix} b_3 & c_3 \\ b_4 & c_4 \end{vmatrix} \\ &\quad - a_2 b_1 \begin{vmatrix} c_3 & d_3 \\ c_4 & d_4 \end{vmatrix} + b_1 c_2 \begin{vmatrix} a_3 & d_3 \\ a_4 & d_4 \end{vmatrix} - b_1 d_2 \begin{vmatrix} a_3 & c_3 \\ a_4 & c_4 \end{vmatrix} \\ &\quad + a_2 c_1 \begin{vmatrix} b_3 & d_3 \\ b_4 & d_4 \end{vmatrix} - b_2 c_1 \begin{vmatrix} a_3 & d_3 \\ a_4 & d_4 \end{vmatrix} + c_1 d_2 \begin{vmatrix} a_3 & b_3 \\ a_4 & b_4 \end{vmatrix} \\ &\quad - a_2 d_1 \begin{vmatrix} b_3 & c_3 \\ b_4 & c_4 \end{vmatrix} + b_2 d_1 \begin{vmatrix} a_3 & c_3 \\ a_4 & c_4 \end{vmatrix} - c_2 d_1 \begin{vmatrix} a_3 & b_3 \\ a_4 & b_4 \end{vmatrix}. \end{aligned}$$

The complete development may be written out directly from the above. It is given in Eq. 3, Art. 7.

Prob. 19. Develop the following determinants:

$$(1) \begin{vmatrix} 1 & x & 1 & y \\ x & 1 & y & 1 \\ 1 & y & 1 & x \\ y & 1 & x & 1 \end{vmatrix}; \quad (2) \begin{vmatrix} a & x & y & a \\ x & 0 & 0 & y \\ y & 0 & 0 & x \\ a & y & x & a \end{vmatrix}; \quad (3) \begin{vmatrix} 0 & q & r & s \\ p & 0 & r & s \\ p & q & 0 & s \\ p & q & r & 0 \end{vmatrix}.$$

$$(\text{Ans. } (x-y)^2((x+y)^2-4); (x^2-y^2)^2; -3pqr s.)$$

Prob. 20. Find the values of the following determinants:

$$(1) \begin{vmatrix} 1 & 2 & 3 & 4 \\ 2 & 3 & 4 & 1 \\ 3 & 4 & 1 & 2 \\ 4 & 1 & 2 & 3 \end{vmatrix}; \quad (2) \begin{vmatrix} 0 & 1 & 0 & 2 \\ 1 & 0 & 2 & 0 \\ 0 & 2 & 0 & 1 \\ 2 & 0 & 1 & 0 \end{vmatrix}; \quad (3) \begin{vmatrix} 3 & 5 & 3 & 1 \\ 6 & 6 & -1 & 1 \\ 9 & -3 & 5 & 1 \\ 8 & 3 & 0 & 1 \end{vmatrix};$$

$$(4) \begin{vmatrix} 0 & 1 & 1 & 1 \\ 1 & 0 & 1 & 1 \\ 1 & 1 & 0 & 1 \\ 1 & 1 & 1 & 0 \end{vmatrix}; \quad (5) \begin{vmatrix} 3 & 3 & 3 & 3 \\ 3 & 2 & 2 & 2 \\ 2 & 2 & 1 & 1 \\ 1 & 1 & 1 & 0 \end{vmatrix}; \quad (6) \begin{vmatrix} 0 & 0 & 0 & 3 \\ 1 & 0 & 0 & 2 \\ 0 & 1 & 0 & 1 \\ 0 & 0 & 1 & 0 \end{vmatrix}.$$

$$(\text{Ans. } 160; 9; 0; -3; -3; -3.)$$

Prob. 21. Obtain the determinants in Exs. 5 and 6 of the preceding problem from that in Ex. 4.

Prob. 22. Evaluate $\begin{vmatrix} 0 & 1 & 1 & \dots \\ 1 & 0 & 1 & \dots \\ 1 & 1 & 0 & \dots \\ \dots & \dots & \dots & \dots \end{vmatrix}$, of the n th order.

$$(\text{Ans. } (n-1)(-1)^{n-1}.)$$

Prob. 23. Show that $\begin{vmatrix} a & b & c & d \\ -b & a & -d & c \\ -c & d & a & -b \\ -d & -c & b & a \end{vmatrix} = (a^2+b^2+c^2+d^2)^2.$

ART. 19. THE ZERO FORMULAS.

If in the determinant $|a_i^{(n)}|$ the h th and k th rows be supposed identical, the elements $a'_k, a''_k, \dots, a_k^{(n)}$ in the formula (1) of the last article may be replaced by $a'_h, a''_h, \dots, a_h^{(n)}$ respectively. But in this case the value of the determinant is zero (Art. 12). Hence, in reference to the determinant $|a_i^{(n)}|$, h and k being different subscripts,

$$a'_h A'_k + a''_h A''_k + \dots + a_h^{(n)} A_k^{(n)} = 0.$$

Similarly, p and s being different superscripts,

$$a_1^{(p)}A_1^{(s)} + a_2^{(p)}A_2^{(s)} + \dots + a_n^{(p)}A_n^{(s)} = 0.$$

ART. 20. CAUCHY'S METHOD OF DEVELOPMENT.

It is frequently desirable to expand a determinant with reference to the elements of a given row and column.

Let the determinant be $\Delta \equiv |a_1^{(n)}|$, and the given row and column the h th and p th respectively. Then is $A_h^{(p)}$ the co-factor of $a_h^{(p)}$, the element at the intersection of the two given lines. The co-factor of any element $a_k^{(s)}$ of $A_h^{(p)}$ will be designated by $B_k^{(s)}$, this being a determinant of the order $(n-2)$. The required expansion may now be obtained by means of the following formula, due to Cauchy:

$$|a_1^{(n)}| = a_h^{(p)}A_h^{(p)} - \sum a_k^{(s)}a_k^{(p)}B_k^{(s)}, \quad (1)$$

in which $k = 1, 2, \dots, h-1, h+1, \dots, n$, and $s = 1, 2, \dots, p-1, p+1, \dots, n$, successively.

To prove this, consider that $B_k^{(s)}$ is the aggregate of all terms of the expansion of Δ which contain the product $a_h^{(p)}a_k^{(s)}$. These terms are included in $a_h^{(p)}A_h^{(p)}$. Now, every term in the expansion which does not contain $a_h^{(p)}$ must contain some other element $a_k^{(s)}$ from the h th row and also some other element $a_k^{(p)}$ from the p th column, and thus contains the product $a_k^{(s)}a_k^{(p)}$. But this product differs from $a_h^{(p)}a_k^{(s)}$ only in the order of the superscripts; and is, therefore, in the expansion of Δ , multiplied by an aggregate of terms differing in sign only from that multiplying $a_h^{(p)}a_k^{(s)}$. Hence, $-a_k^{(p)}a_k^{(s)}B_k^{(s)}$ is the coefficient of $a_h^{(p)}a_k^{(s)}$ in the required expansion.

In the formula $a_h^{(p)}A_h^{(p)}$ gives $(n-1)!$ terms of Δ . There are also $(n-1)^2$ such aggregates as $-a_k^{(s)}a_k^{(p)}B_k^{(s)}$, each containing $(n-2)!$ terms. The formula therefore gives $(n-1)! + (n-1)^2(n-2)! = n!$ terms, which is the complete expansion.

When the expansion is required with reference to the ele-

$$(4) \begin{vmatrix} -1 & -x & 1 & 1 \\ 1 & -y & -1 & 1 \\ x & 0 & y & z \\ 1 & -z & 1 & -1 \end{vmatrix}; \quad (5) \begin{vmatrix} 1 & 1 & 1 & x \\ x & y & z & 0 \\ 1 & 1 & 1 & y \\ 1 & 1 & 1 & z \end{vmatrix}; \quad (6) \begin{vmatrix} 0 & a & b \\ -a & \sin A \sin B \\ -b & -\cos A \cos B \end{vmatrix}.$$

ART. 21. DIFFERENTIATION OF DETERMINANTS.

By the formula (I) of Art. 18

$$\Delta \equiv |y_{1,n}| = Y_{k1}y_{k1} + Y_{k2}y_{k2} + \dots + Y_{kn}y_{kn}. \quad (1)$$

Considering the elements of the determinant as independent variables and differentiating with respect to y_{ks} gives

$$\delta_{ks}\Delta = Y_{ks}dy_{ks}, \quad \text{or} \quad Y_{ks} = \frac{\delta\Delta}{dy_{ks}}. \quad (2)$$

Substituting in (I),

$$\Delta \equiv |y_{1,n}| = y_{k1} \frac{\delta\Delta}{dy_{k1}} + y_{k2} \frac{\delta\Delta}{dy_{k2}} + \dots + y_{kn} \frac{\delta\Delta}{dy_{kn}}. \quad (3)$$

Similarly

$$\Delta \equiv |y_{1,n}| = y_{1s} \frac{\delta\Delta}{dy_{1s}} + y_{2s} \frac{\delta\Delta}{dy_{2s}} + \dots + y_{ns} \frac{\delta\Delta}{dy_{ns}}. \quad (4)$$

Again differentiating (I), this time with respect to all the elements of the k th row, there results

$$\delta_k\Delta = Y_{k1}dy_{k1} + Y_{k2}dy_{k2} + \dots + Y_{kn}dy_{kn}. \quad (5)$$

In the total differential of Δ there are obviously n such expressions as (5), each of which may be obtained from Δ by replacing the elements of some one of the rows by their differentials; thus:

$$d\Delta = \begin{vmatrix} dy_{11} & \dots & dy_{1n} \\ y_{21} & \dots & y_{2n} \\ \dots & \dots & \dots \\ y_{n1} & \dots & y_{nn} \end{vmatrix} + \begin{vmatrix} y_{11} & \dots & y_{1n} \\ dy_{21} & \dots & dy_{2n} \\ \dots & \dots & \dots \\ y_{n1} & \dots & y_{nn} \end{vmatrix} + \dots + \begin{vmatrix} y_{11} & \dots & y_{1n} \\ y_{21} & \dots & y_{2n} \\ \dots & \dots & \dots \\ dy_{n1} & \dots & dy_{nn} \end{vmatrix}. \quad (6)$$

If all the elements are functions of one independent variable x , then, representing $\frac{dy_{ks}}{dx}$ by y'_{ks} ,

$$\frac{d\Delta}{dx} = \begin{vmatrix} y'_{11} & \dots & y'_{1n} \\ y_{21} & \dots & y_{2n} \\ \dots & \dots & \dots \\ y_{n1} & \dots & y_{nn} \end{vmatrix} + \begin{vmatrix} y_{11} & \dots & y_{1n} \\ y'_{21} & \dots & y'_{2n} \\ \dots & \dots & \dots \\ y_{n1} & \dots & y_{nn} \end{vmatrix} + \dots + \begin{vmatrix} y_{11} & \dots & y_{1n} \\ y_{21} & \dots & y_{2n} \\ \dots & \dots & \dots \\ y'_{n1} & \dots & y'_{nn} \end{vmatrix}. \quad (7)$$

Prob. 25. Show that Cauchy's formula may be written

$$\Delta \equiv |a_1^{(n)}| = a_h^{(p)} \frac{\delta \Delta}{\delta a_h^{(p)}} - \sum a_k^{(p)} a_h^{(s)} \frac{\delta^2 \Delta}{\delta a_h^{(p)} \delta a_k^{(s)}}.$$

ART. 22. RAISING THE ORDER.

Since, in the expansion of the determinant (1) of Art. 17 the elements $a_2', \dots a_n'$ do not appear, these may be replaced by any quantities whatever, as $Q, \dots T$, without changing the value of the determinant; thus:

$$\begin{vmatrix} a_1' & 0 & 0 & \dots & 0 \\ a_2' & a_2'' & a_2''' & \dots & a_2^{(n)} \\ \dots & \dots & \dots & \dots & \dots \\ a_n' & a_n'' & a_n''' & \dots & a_n^{(n)} \end{vmatrix} = \begin{vmatrix} a_1' & 0 & 0 & \dots & 0 \\ Q & a_2'' & a_2''' & \dots & a_2^{(n)} \\ \dots & \dots & \dots & \dots & \dots \\ T & a_n'' & a_n''' & \dots & a_n^{(n)} \end{vmatrix}.$$

Similarly,

$$\begin{vmatrix} a_1' & 0 & 0 & \dots & 0 \\ a_2' & a_2'' & 0 & \dots & 0 \\ a_3' & a_3'' & a_3''' & \dots & a_3^{(n)} \\ \dots & \dots & \dots & \dots & \dots \\ a_n' & a_n'' & a_n''' & \dots & a_n^{(n)} \end{vmatrix} = a_1' a_2'' \begin{vmatrix} a_3''' & \dots & a_3^{(n)} \\ \dots & \dots & \dots \\ a_n''' & \dots & a_n^{(n)} \end{vmatrix} = \begin{vmatrix} a_1' & 0 & 0 & \dots & 0 \\ Q & a_2'' & 0 & \dots & 0 \\ R & L & a_3''' & \dots & a_3^{(n)} \\ \dots & \dots & \dots & \dots & \dots \\ T & N & a_n''' & \dots & a_n^{(n)} \end{vmatrix},$$

in which $Q, R, \dots T$ and $L, \dots N$ are any quantities whatever.

Finally,

$$\begin{vmatrix} a_1' & 0 & \dots & 0 & 0 \\ a_2' & a_2'' & \dots & 0 & 0 \\ \dots & \dots & \dots & \dots & \dots \\ a_{n-1}' & a_{n-1}'' & \dots & a_{n-1}^{(n-1)} & 0 \\ a_n' & a_n'' & \dots & a_n^{(n-1)} & a_n^{(n)} \end{vmatrix} = a_1' a_2'' \dots a_{n-1}^{(n-1)} a_n^{(n)} = \begin{vmatrix} a_1' & 0 & \dots & 0 & 0 \\ Q & a_2'' & \dots & 0 & 0 \\ \dots & \dots & \dots & \dots & \dots \\ S & M & \dots & a_{n-1}^{(n-1)} & 0 \\ T & N & \dots & C & a_n^{(n)} \end{vmatrix};$$

that is, if all the elements on one side of the principal diagonal are zeros the determinant is equal to its principal term, and the elements on the other side of this diagonal may be replaced by any quantities whatever.

By what precedes,

$$\begin{vmatrix} a_1' & \dots & a_1^{(n)} \\ \dots & \dots & \dots \\ a_n' & \dots & a_n^{(n)} \end{vmatrix} = \begin{vmatrix} 1 & 0 & \dots & 0 \\ Q & a_1' & \dots & a_1^{(n)} \\ \dots & \dots & \dots & \dots \\ T & a_n' & \dots & a_n^{(n)} \end{vmatrix}$$

Hence, a determinant of the n th order may be expressed as a determinant of the order $(n+1)$ by bordering it above by a row (to the left by a column) of zeros, to the left by a column (above by a row) of elements chosen arbitrarily, and writing 1 at the intersection of the lines thus added. By continuing this process any determinant may be expressed as a determinant of any higher order.

Prob. 26. If all the elements on one side of the secondary diagonal are zeros, what is the value of the determinant?

Prob. 27. Develop the determinant

$$\begin{vmatrix} a & h & g & u & 0 \\ h & b & f & v & 0 \\ g & f & c & w & 0 \\ u & v & w & 0 & t \\ 0 & 0 & 0 & t & s \end{vmatrix}.$$

Prob. 28. A determinant in which $a_k^{(s)} = -a_s^{(k)}$ and $a_k^{(k)} = 0$ is said to be skew-symmetric. Prove that every skew-symmetric determinant of odd order is equal to zero.

ART 23. LOWERING THE ORDER.

The following method of reducing and evaluating a determinant is often useful, particularly when the elements are numerical. Let the determinant be

$$\begin{aligned} \Delta &\equiv \begin{vmatrix} a_1' a_1'' & \dots & a_1^{(n)} \\ a_2' a_2'' & \dots & a_2^{(n)} \\ \dots & \dots & \dots \\ a_n' a_n'' & \dots & a_n^{(n)} \end{vmatrix}. \quad \text{Then} \\ \Delta &= \frac{1}{(a_1')^{n-1}} \begin{vmatrix} a_1' & a_1' a_1'' & a_1' a_1''' & \dots \\ a_2' & a_1' a_2'' & a_1' a_2''' & \dots \\ a_3' & a_1' a_3'' & a_1' a_3''' & \dots \\ \dots & \dots & \dots & \dots \end{vmatrix} \quad (\text{Art. 13.}) \\ &= \frac{1}{(a_1')^{n-2}} \begin{vmatrix} a_1' a_2'' - a_2' a_1'' & a_1' a_2''' - a_2' a_1''' & \dots \\ a_1' a_3'' - a_3' a_1'' & a_1' a_3''' - a_3' a_1''' & \dots \\ \dots & \dots & \dots \end{vmatrix}. \quad (\text{Arts. 15, 17.}) \end{aligned}$$

In this last expression the determinant is obviously of the order $(n-1)$. The process may be formulated thus: Replace each element $a_k^{(s)}$ of the minor of the leading element by the

determinant $\begin{vmatrix} a_1' & a_1^{(s)} \\ a_k' & a_k^{(s)} \end{vmatrix}$, and the resulting determinant divided by $(a_1')^{n-2}$ will be equal to the given determinant. The elements being numerical the process may be repeated with ease until the order becomes unity. The example given below will illustrate.

$$\begin{aligned} \Delta &\equiv \begin{vmatrix} 1 & 2 & 3 & 4 \\ 8 & 7 & 6 & 5 \\ 1 & 8 & 2 & 7 \\ 3 & 6 & 4 & 5 \end{vmatrix} = \begin{vmatrix} \begin{vmatrix} 1 & 2 \\ 8 & 7 \end{vmatrix} & \begin{vmatrix} 1 & 3 \\ 8 & 6 \end{vmatrix} & \begin{vmatrix} 1 & 4 \\ 8 & 5 \end{vmatrix} \\ \begin{vmatrix} 1 & 2 \\ 1 & 8 \end{vmatrix} & \begin{vmatrix} 1 & 3 \\ 1 & 2 \end{vmatrix} & \begin{vmatrix} 1 & 4 \\ 1 & 7 \end{vmatrix} \\ \begin{vmatrix} 1 & 2 \\ 3 & 6 \end{vmatrix} & \begin{vmatrix} 1 & 3 \\ 3 & 4 \end{vmatrix} & \begin{vmatrix} 1 & 4 \\ 3 & 5 \end{vmatrix} \end{vmatrix} \\ &= \begin{vmatrix} -9 & -18 & -27 \\ 6 & -1 & 3 \\ 0 & -5 & -7 \end{vmatrix} = \begin{vmatrix} -9 & -18 \\ 6 & -1 \end{vmatrix} \begin{vmatrix} -9 & -27 \\ 6 & 3 \end{vmatrix} \\ &= \begin{vmatrix} 117 & 135 \\ 45 & 63 \end{vmatrix} = 1296. \end{aligned}$$

ART. 24. SOLUTION OF LINEAR EQUATIONS.

Of the many analytical processes giving rise to determinants the simplest and most common is the solution of systems of simultaneous linear equations. Thus, solving the equations

$$\begin{cases} a_1'x' + a_1''x'' = \kappa_1, \\ a_2'x' + a_2''x'' = \kappa_2, \end{cases}$$

by the methods of ordinary algebra gives :

$$x' = \frac{\kappa_1 a_2'' - \kappa_2 a_1''}{a_1' a_2'' - a_2' a_1''}, \quad x'' = \frac{a_1' \kappa_2 - a_2' \kappa_1}{a_1' a_2'' - a_2' a_1''}.$$

In the notation of determinants these are written :

$$x' = \begin{vmatrix} \kappa_1 & a_1'' \\ \kappa_2 & a_2'' \end{vmatrix} / \begin{vmatrix} a_1' & a_1'' \\ a_2' & a_2'' \end{vmatrix}, \quad x'' = \begin{vmatrix} a_1' & \kappa_1 \\ a_2' & \kappa_2 \end{vmatrix} / \begin{vmatrix} a_1' & a_1'' \\ a_2' & a_2'' \end{vmatrix}.$$

It will be noted that the two fractions expressing the values of x' and x'' have a common denominator, this being the determinant whose elements are the coefficients of the unknowns arranged in the same order as in the given equations. The

$$x^{(s)} = \left| \begin{array}{cccc} a_1' & \dots & a_1^{(s-1)} \kappa_1 a_1^{(s+1)} & \dots & a_1^{(n)} \\ a_2' & \dots & a_2^{(s-1)} \kappa_2 a_2^{(s+1)} & \dots & a_2^{(n)} \\ \dots & \dots & \dots & \dots & \dots \\ a_n' & \dots & a_n^{(s-1)} \kappa_n a_n^{(s+1)} & \dots & a_n^{(n)} \end{array} \right| / \left| \begin{array}{cccc} a_1' a_1'' & \dots & a_1^{(n)} \\ a_2' a_2'' & \dots & a_2^{(n)} \\ \dots & \dots & \dots \\ a_n' a_n'' & \dots & a_n^{(n)} \end{array} \right|. \quad (3)$$

This result may be stated as follows :

(a) The common denominator of the fractions expressing the values of the unknowns in a system of n linear equations involving n unknown quantities is the determinant of the coefficients, these being written in the same order as in the given equations. (b) The numerator of the fraction giving the value of any one of the unknowns is a determinant, which may be formed from the determinant of the coefficients by substituting for the column made up of the coefficients of the unknown in question a column whose elements are the absolute terms of the equations taken in the same order as the coefficients which they displace.

Prob. 29. Solve the following systems of equations :

- (1) $3x + 5y = 21, \quad 6x + 2y = 15;$
- (2) $\frac{x}{3} + \frac{3y}{2} = 5, \quad \frac{2x}{3} + y = 6;$
- (3) $3x + y + 2z = 50, \quad x + 2y - 3z = 15, \quad 2x + 2y - 3z = 25;$
- (4) $\frac{1}{y} + \frac{1}{z} = p, \quad \frac{1}{z} + \frac{1}{x} = q, \quad \frac{1}{x} + \frac{1}{y} = r;$
- (5) $\frac{w}{3} + \frac{x}{5} + \frac{y}{7} + \frac{z}{9} = 2800, \quad \frac{w}{5} + \frac{x}{7} + \frac{y}{9} + \frac{z}{11} = 2144,$
 $\frac{w}{7} + \frac{x}{9} + \frac{y}{11} + \frac{z}{13} = 1744, \quad \frac{w}{9} + \frac{x}{11} + \frac{y}{13} + \frac{z}{15} = 1472.$

Prob. 30. Show that the three right lines

$$y = x + 1, \quad y = -2x + 16, \quad y = 3x - 9,$$

intersect in a common point.

ART. 25. CONSISTENCE OF LINEAR SYSTEMS.

When the number of given equations is greater than the number of unknowns their consistency with one another must

or

$$x:y:z::2:3:5;$$

and any three quantities having these ratios will satisfy the two equations, as 10, 15, and 25. That the third equation is consistent with the first two is shown by the vanishing of the determinant

$$\begin{vmatrix} 2 & -3 & 1 \\ 4 & -1 & -1 \\ -7 & 3 & 1 \end{vmatrix} = 0.$$

If all the equations are consistent the determinant of the coefficients of any three of them must vanish; that is,

$$\begin{vmatrix} 2 & 4 & -7 & 1 & 5 \\ -3 & -1 & 3 & 1 & -5 \\ 1 & -1 & 1 & -1 & 1 \end{vmatrix} = 0.$$

ART. 28. CO-FACTORS IN A ZERO DETERMINANT.

If, in the preceding article, $E = 0$, it follows from Arts. 18 and 19 that

$$a_1' A_k' + a_1'' A_k'' + \dots + a_1^{(n)} A_k^{(n)} = 0,$$

.....

$$a_k' A_k' + a_k'' A_k'' + \dots + a_k^{(n)} A_k^{(n)} = 0 = E,$$

.....

$$a_n' A_k' + a_n'' A_k'' + \dots + a_n^{(n)} A_k^{(n)} = 0.$$

These equations obviously give for the ratios

$$\frac{A_k'}{A_k^{(s)}}, \dots, \frac{A_k^{(s-1)}}{A_k^{(s)}}, \frac{A_k^{(s+1)}}{A_k^{(s)}}, \dots, \frac{A_k^{(n)}}{A_k^{(s)}}$$

values which are identical with those obtained for the ratios

$$\frac{x'}{x^{(s)}}, \dots, \frac{x^{(s-1)}}{x^{(s)}}, \frac{x^{(s+1)}}{x^{(s)}}, \dots, \frac{x^{(n)}}{x^{(s)}}$$

from the equations (1) of Art. 27. It follows that $x', x'', \dots, x^{(n)}$ are proportional to $A_k', A_k'', \dots, A_k^{(n)}$, whatever the value of k . Thus, giving to k the successive values 1, 2, \dots , n , there result

$$\begin{aligned} x' : x'' : \dots : x^{(n)} &:: A_1' : A_1'' : \dots : A_1^{(n)} \\ &:: A_2' : A_2'' : \dots : A_2^{(n)} \\ &\dots \dots \dots \\ &:: A_n' : A_n'' : \dots : A_n^{(n)}. \end{aligned}$$

Hence, when a determinant is equal to zero, the co-factors of the elements of any line are proportional to the co-factors of the corresponding elements of any parallel line.

ART. 29. SYLVESTER'S METHOD OF ELIMINATION.*

Let it be required to eliminate the unknown from the two equations

$$a_3x^3 + a_2x^2 + a_1x + a_0 = 0,$$

$$b_2x^2 + b_1x + b_0 = 0.$$

This will be done by what is called the dialytic method, the invention of which is due to Sylvester. Multiplying the first of the given equations by x , and the second by x and x^2 successively, the result is a system of five equations, viz.:

$$\left. \begin{aligned} a_3x^3 + a_2x^2 + a_1x + a_0 &= 0, \\ a_3x^4 + a_2x^3 + a_1x^2 + a_0x &= 0, \\ b_2x^3 + b_1x + b_0 &= 0, \\ b_2x^3 + b_1x^2 + b_0x &= 0, \\ b_2x^4 + b_1x^3 + b_0x^2 &= 0. \end{aligned} \right\}$$

The eliminant of these five equations, involving the four unknowns x , x^2 , x^3 , and x^4 is (Art. 25)

$$E \equiv \begin{vmatrix} 0 & a_3 & a_2 & a_1 & a_0 \\ a_3 & a_2 & a_1 & a_0 & 0 \\ 0 & 0 & b_2 & b_1 & b_0 \\ 0 & b_2 & b_1 & b_0 & 0 \\ b_2 & b_1 & b_0 & 0 & 0 \end{vmatrix} = 0.$$

If the given equations be not consistent this determinant will not vanish.

The above method is a general one. Thus, let the two given equations be

$$a_mx^m + \dots + a_1x + a_0 = 0,$$

$$b_nx^n + \dots + b_1x + b_0 = 0.$$

Multiplying the first equation $(n-1)$ times in succession by x , and the second $(m-1)$ times, $(m+n)$ equations are

* Philosophical Magazine, 1840, and Crelle's Journal, Vol. XXI.

obtained which involve as unknowns the first $(m + n - 1)$ powers of x . The eliminant of these equations is a determinant of the order $(m + n)$, which is of the n th degree in terms of the coefficients of the equation of the m th degree, and *vice versa*. The law of formation of the eliminant is obvious.

The same method may be used in eliminating one or both the variables from a pair of homogeneous equations.

As an example, let it be required to eliminate the variables from the equations

$$2x^3 - 5x^2y - 9y^3 = 0 \quad \text{and} \quad 3x^2 - 7xy - 6y^2 = 0.$$

Dividing the first by y^3 , and multiplying by $\frac{x}{y}$; the second by y^2 , and multiplying by $\frac{x}{y}$ twice in succession, there result, in all, five equations involving $\frac{x}{y}$, $\frac{x^2}{y^2}$, $\frac{x^3}{y^3}$, and $\frac{x^4}{y^4}$. Eliminating these four ratios gives

$$E \equiv \begin{vmatrix} 0 & 2 - 5 & 0 - 9 \\ 2 - 5 & 0 - 9 & 0 \\ 0 & 0 & 3 - 7 - 6 \\ 0 & 3 - 7 - 6 & 0 \\ 3 - 7 - 6 & 0 & 0 \end{vmatrix},$$

the vanishing of which shows that the two given equations are consistent.

Prob. 31. Test the consistency of each of the following systems of equations:

$$(1) \quad x + y + 2z = 9, \quad x + y - z = 0, \quad 2x - y + z = 3, \quad x - 3y + 2z = 1;$$

$$(2) \quad x - y - 2z = 0, \quad x - 2y + z = 0, \quad 2x - 3y - z = 0;$$

$$(3) \quad 2x^2y - xy^2 = 0, \quad 8x^3y + 8xy^3 - 5y^4 = 0.$$

Prob. 32. Find the ratios of the unknowns in the equations

$$2x + y - 2z = 0, \quad 4w - y - 4z = 0, \quad 2w + x - 5y + z = 0.$$

Prob. 33. In the equations

$$a_k'x' + \dots + a_k^{(n)}x^{(n)} + a_k^{(n+1)}x^{(n+1)} = 0, \quad [k = 1, 2, \dots, n]$$

prove that $x' : \dots : x^{(n)} : x^{(n+1)} :: M' : \dots : M^{(n)} : M^{(n+1)}$, where

$(-1)^{i-1}M^{(i)}$ is the determinant obtained by deleting the i th column from the rectangular array

$$M \equiv \begin{vmatrix} a_1' & \dots & a_1^{(n)} & a_1^{(n+1)} \\ \dots & \dots & \dots & \dots \\ a_n' & \dots & a_n^{(n)} & a_n^{(n+1)} \end{vmatrix}.$$

✓ Prob. 34. From $\frac{lx + vy + \mu z}{p} = \frac{vx + my + \lambda z}{q} = \frac{\mu x + \lambda y + nz}{r},$

deduce $\begin{vmatrix} x & & \\ v & \mu & p \\ m & \lambda & q \\ \lambda & n & r \end{vmatrix} = - \begin{vmatrix} y & & \\ l & \mu & p \\ v & \lambda & q \\ \mu & n & r \end{vmatrix} = \begin{vmatrix} z & & \\ l & v & p \\ v & m & q \\ \mu & \lambda & r \end{vmatrix}.$

Prob. 35. Show that the three straight lines $a'x + b'y + c' = 0$, $a''x + b''y + c'' = 0$, and $a'''x + b'''y + c''' = 0$, are concurrent when $|a'b'c'| = 0$.

Prob. 36. Prove that the medians of a triangle are concurrent.

Prob. 37. Show that the points (x_0, y_0) , (x_1, y_1) , and (x_2, y_2) are collinear when $\begin{vmatrix} x_0 & y_0 & 1 \\ x_1 & y_1 & 1 \\ x_2 & y_2 & 1 \end{vmatrix} = 0$.

Prob. 38. Write the conditions that all the points (x_1, y_1) , (x_2, y_2) , \dots (x_n, y_n) shall be collinear in the form of a matrix.

Prob. 39. Obtain the equation of a right line through (x_1, y_1) and (x_2, y_2) in the form of a determinant.

Prob. 40. Show that the equation $\begin{vmatrix} x & y & z & 1 \\ x_1 & y_1 & z_1 & 1 \\ x_2 & y_2 & z_2 & 1 \\ x_3 & y_3 & z_3 & 1 \end{vmatrix} = 0$

represents a plane through (x_1, y_1, z_1) , (x_2, y_2, z_2) , and (x_3, y_3, z_3) .

ART. 30. THE MULTIPLICATION THEOREM.

Let the two homogeneous linear equations

$$\left. \begin{aligned} a_{11}x_1 + a_{12}x_2 &= 0, \\ a_{21}x_1 + a_{22}x_2 &= 0, \end{aligned} \right\} \quad (1)$$

be subjected to linear transformation by substituting

$$\left. \begin{aligned} x_1 &= b_{11}u_1 + b_{12}u_2, \\ x_2 &= b_{21}u_1 + b_{22}u_2. \end{aligned} \right\} \quad (2)$$

The result of such transformation is

$$\left. \begin{aligned} (a_{11}b_{11} + a_{12}b_{12})u_1 + (a_{11}b_{21} + a_{12}b_{22})u_2 &= 0, \\ (a_{21}b_{11} + a_{22}b_{12})u_1 + (a_{21}b_{21} + a_{22}b_{22})u_2 &= 0. \end{aligned} \right\} \quad (3)$$

The vanishing of the determinant

$$\begin{vmatrix} a_{11}b_{11} + a_{12}b_{12} & a_{11}b_{21} + a_{12}b_{22} \\ a_{21}b_{11} + a_{22}b_{12} & a_{21}b_{21} + a_{22}b_{22} \end{vmatrix} \quad (4)$$

is the condition that the equations (3) may be consistent; that is, the condition that they may have solutions other than $u_1 = 0 = u_2$ (Art. 27). Now the equations (3) may be consistent because of the consistency of the equations (1), in which case the determinant

$$\begin{vmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{vmatrix} \quad (5)$$

vanishes. Or, this condition failing, and the equations (1) thus having no solution other than $x_1 = 0 = x_2$, the equations (3) will still be consistent if the equations (2) are so; that is, if the determinant

$$\begin{vmatrix} b_{11} & b_{12} \\ b_{21} & b_{22} \end{vmatrix} \quad (6)$$

vanishes. The vanishing of either of the determinants (5) or (6), therefore, causes the determinant (4) to vanish. It follows that (5) and (6) are factors of (4); and since their product and the determinant (4) are of the same degree with respect to the coefficients $a_{11}, \dots, b_{11}, \dots$, they are the only factors. Hence,

$$\begin{vmatrix} a_{11}a_{12} \\ a_{21}a_{22} \end{vmatrix} \cdot \begin{vmatrix} b_{11}b_{12} \\ b_{21}b_{22} \end{vmatrix} = \begin{vmatrix} a_{11}b_{11} + a_{12}b_{12} & a_{11}b_{21} + a_{12}b_{22} \\ a_{21}b_{11} + a_{22}b_{12} & a_{21}b_{21} + a_{22}b_{22} \end{vmatrix}. \quad (7)$$

The above method is equally applicable to the formation of the product of any two determinants of the same order. Hence results the following general formula:

$$\begin{vmatrix} a_{11}a_{22} \dots a_{nn} & | & b_{11}b_{22} \dots b_{nn} \\ a_{11}b_{11} + \dots + a_{1n}b_{1n} & a_{11}b_{21} + \dots + a_{1n}b_{2n} & \dots & a_{11}b_{n1} + \dots + a_{1n}b_{nn} \\ a_{21}b_{11} + \dots + a_{2n}b_{1n} & a_{21}b_{21} + \dots + a_{2n}b_{2n} & \dots & a_{21}b_{n1} + \dots + a_{2n}b_{nn} \\ \dots & \dots & \dots & \dots \\ a_{n1}b_{11} + \dots + a_{nn}b_{1n} & a_{n1}b_{21} + \dots + a_{nn}b_{2n} & \dots & a_{n1}b_{n1} + \dots + a_{nn}b_{nn} \end{vmatrix}. \quad (8)$$

The process indicated by this formula may be described as follows : *

To form the determinant $|p_{1,n}|$, which is the product of two determinants $|a_{1,n}|$ and $|b_{1,n}|$, first connect by plus signs the elements in the rows of both $|a_{1,n}|$ and $|b_{1,n}|$. Then place the first row of $|a_{1,n}|$ upon each row of $|b_{1,n}|$ in turn and let each two elements as they touch become products. This is the first row of $|p_{1,n}|$. Perform the same operation upon $|b_{1,n}|$ with the second row of $|a_{1,n}|$ to obtain the second row of $|p_{1,n}|$; and again with the third row of $|a_{1,n}|$ to obtain the third row of $|p_{1,n}|$; etc.

Any element of this product is

$$p_{ks} = a_{k1}b_{s1} + a_{k2}b_{s2} + \dots + a_{kn}b_{sn}. \quad (9)$$

When the two determinants to be multiplied together are of different orders the one of lower order should be expressed as a determinant of the same order as the other (Art. 22), after which the above rule is applicable.

The product of two determinants may be formed by columns, instead of by rows as above. In this case the result is obtained in a different form. Thus the product of the determinants (5) and (6) by columns is

$$\begin{vmatrix} a_{11}b_{11} + a_{21}b_{21} & a_{12}b_{11} + a_{22}b_{12} \\ a_{11}b_{12} + a_{21}b_{22} & a_{12}b_{12} + a_{22}b_{22} \end{vmatrix}.$$

Prob. 41. Form the following products :

$$(1) \begin{vmatrix} a & h & g \\ h & b & f \\ g & f & c \end{vmatrix} \cdot \begin{vmatrix} a & g \\ g & c \end{vmatrix}; \quad (2) \begin{vmatrix} b & f \\ f & c \end{vmatrix} \cdot \begin{vmatrix} a & g \\ g & c \end{vmatrix} \cdot \begin{vmatrix} a & h \\ h & b \end{vmatrix};$$

$$(3) \begin{vmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \\ a_{31} & a_{32} & a_{33} \end{vmatrix} \cdot \begin{vmatrix} A_{11} & A_{12} & A_{13} \\ A_{21} & A_{22} & A_{23} \\ A_{31} & A_{32} & A_{33} \end{vmatrix}; \quad (4) \begin{vmatrix} a_1 & b_1 & c_1 \\ a_2 & b_2 & c_2 \\ a_3 & b_3 & c_3 \end{vmatrix} \cdot \begin{vmatrix} 0 & 1 & 1 \\ 1 & 0 & 1 \\ 1 & 1 & 0 \end{vmatrix}.$$

Prob. 42. Generalize the last example (see Prob. 22, Art. 18).

Prob. 43. By forming the product

$$\begin{vmatrix} a + b\sqrt{-1} & -c + d\sqrt{-1} \\ c + d\sqrt{-1} & a - b\sqrt{-1} \end{vmatrix} \cdot \begin{vmatrix} j + k\sqrt{-1} & -l + m\sqrt{-1} \\ l + m\sqrt{-1} & j - k\sqrt{-1} \end{vmatrix},$$

* Carr's Synopsis of Pure Mathematics, London, 1886, Article 570.

show that the product of two numbers, each the sum of four squares, is itself the sum of four squares.

ART. 31. PRODUCT OF TWO ARRAYS.

The process explained in the preceding article may be applied to form what is conventionally termed the product of two rectangular arrays. It will appear, however, that multiplying two such arrays together by columns leads to a result radically different from that obtained when the product is formed by rows.

Let the two rectangular arrays be

$$\begin{vmatrix} a_{11} & a_{12} & a_{13} \\ a_{21} & a_{22} & a_{23} \end{vmatrix} \quad \text{and} \quad \begin{vmatrix} b_{11} & b_{12} & b_{13} \\ b_{21} & b_{22} & b_{23} \end{vmatrix}.$$

The product of these by columns is

$$\Delta \equiv \begin{vmatrix} a_{11}b_{11} + a_{21}b_{21} & a_{12}b_{11} + a_{22}b_{21} & a_{13}b_{11} + a_{23}b_{21} \\ a_{11}b_{12} + a_{21}b_{22} & a_{12}b_{12} + a_{22}b_{22} & a_{13}b_{12} + a_{23}b_{22} \\ a_{11}b_{13} + a_{21}b_{23} & a_{12}b_{13} + a_{22}b_{23} & a_{13}b_{13} + a_{23}b_{23} \end{vmatrix}.$$

The determinant Δ is plainly equal to zero, being the product of two determinants formed by adding a row of zeros to one of the given rectangular arrays and a row of elements chosen arbitrarily to the other.

In general, the product by columns of two rectangular arrays having m rows and n columns, m being less than n , is a determinant of the n^{th} order whose value is zero.

Multiplying together the above rectangular arrays by rows, the result is

$$\begin{aligned} \Delta' &\equiv \begin{vmatrix} a_{11}b_{11} + a_{12}b_{12} + a_{13}b_{13} & a_{11}b_{21} + a_{12}b_{22} + a_{13}b_{23} \\ a_{21}b_{11} + a_{22}b_{12} + a_{23}b_{13} & a_{21}b_{21} + a_{22}b_{22} + a_{23}b_{23} \end{vmatrix} \\ &= \begin{vmatrix} a_{12} & a_{13} \\ a_{22} & a_{23} \end{vmatrix} \cdot \begin{vmatrix} b_{12} & b_{13} \\ b_{22} & b_{23} \end{vmatrix} + \begin{vmatrix} a_{11} & a_{13} \\ a_{21} & a_{23} \end{vmatrix} \cdot \begin{vmatrix} b_{11} & b_{13} \\ b_{21} & b_{23} \end{vmatrix} + \begin{vmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{vmatrix} \cdot \begin{vmatrix} b_{11} & b_{12} \\ b_{21} & b_{22} \end{vmatrix}. \end{aligned}$$

In the same manner it may be shown that the product by rows of two rectangular arrays having m rows and n columns, m being less than n , is a determinant of the m^{th} order, which may be expressed as the sum of the $n!/m!(n-m)!$ determinants

formed from one of the arrays by deleting $(n - m)$ columns, each multiplied by the determinant formed by deleting the same columns from the other array.

ART. 32. RECIPROCAL DETERMINANTS.

The determinant formed by replacing each element of a given determinant by its co-factor is called the reciprocal of the given determinant.* Thus, the reciprocal of

$$\delta \equiv \begin{vmatrix} a_{11}a_{12} \dots a_{1n} \\ a_{21}a_{22} \dots a_{2n} \\ \dots\dots\dots \\ a_{n1}a_{n2} \dots a_{nn} \end{vmatrix} \text{ is } \Delta \equiv \begin{vmatrix} A_{11}A_{12} \dots A_{1n} \\ A_{21}A_{22} \dots A_{2n} \\ \dots\dots\dots \\ A_{n1}A_{n2} \dots A_{nn} \end{vmatrix}.$$

The product of these two determinants is

$$\delta \cdot \Delta = \begin{vmatrix} a_{11}A_{11} + \dots + a_{1n}A_{1n} & a_{11}A_{21} + \dots + a_{1n}A_{2n} & \dots & a_{11}A_{n1} + \dots + a_{1n}A_{nn} \\ a_{21}A_{11} + \dots + a_{2n}A_{1n} & a_{21}A_{21} + \dots + a_{2n}A_{2n} & \dots & a_{21}A_{n1} + \dots + a_{2n}A_{nn} \\ \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & \dots\dots\dots \\ a_{n1}A_{11} + \dots + a_{nn}A_{1n} & a_{n1}A_{21} + \dots + a_{nn}A_{2n} & \dots & a_{n1}A_{n1} + \dots + a_{nn}A_{nn} \end{vmatrix}$$

Each element on the principal diagonal of this product is equal to δ (Art. 18), while all the other elements vanish (Art. 19). Hence,

$$\delta \cdot \Delta = \begin{vmatrix} \delta & 0 & \dots & 0^{(n)} \\ 0 & \delta & \dots & 0 \\ \dots\dots\dots & \dots\dots\dots & \dots\dots\dots & \dots\dots\dots \\ 0_n & 0 & \dots & \delta \end{vmatrix} = \delta^n, \text{ or } \Delta = \delta^{n-1}.$$

That is, the reciprocal of a determinant of the n^{th} order is equal to its $(n - 1)^{\text{th}}$ power.

ART. 33. LINEAR TRANSFORMATIONS.

Let it be required to transform the system

$$a_{h1}x_1 + a_{h2}x_2 + \dots + a_{hn}x_n = 0 \quad [h = 1, 2, \dots, n] \quad (1)$$

into a new system with the variables u_1, u_2, \dots, u_n by means of the linear substitutions

$$x_i = b_{i1}u_1 + b_{i2}u_2 + \dots + b_{in}u_n \quad [i = 1, 2, \dots, n] \quad (2)$$

Making the required transformation, as has been done for the case of two variables in Art. 30, the resulting system is

$$p_{j1}u_1 + p_{j2}u_2 + \dots + p_{jn}u_n = 0, \quad [j=1, 2, \dots, n] \quad (3)$$

in which $p_{ks} = a_{k1}b_{s1} + a_{k2}b_{s2} + \dots + a_{kn}b_{sn}$. (Eq. 9, Art. 30.)

The determinants of the systems (1), (2), and (3) are thus connected by the relation

$$|p_{1,n}| = |a_{1,n}| \cdot |b_{1,n}|. \quad (4)$$

The determinant $|b_{1,n}|$, whose elements are the coefficients in the equations (2), is called the modulus of transformation; and the relation expressed by equation (4) may be stated as follows:

If a system of n homogeneous linear equations in n variables be subjected to linear transformation, the eliminant of the transformed equations will be the eliminant of the given equations multiplied by the modulus of transformation. A transformation whose modulus is unity is said to be unimodular.

Prob. 44. Show that the following transformations are unimodular:

- (1) $x = x' + y' + 2z', \quad y = x' + y' + z', \quad z = y' + z';$
 (2) $x = x' \cos \alpha - y' \sin \alpha, \quad y = x' \sin \alpha + y' \cos \alpha.$

ART. 34. QUANTICS; INVARIANTS AND COVARIANTS.

A homogeneous function of any number of variables is called a quantic.

A quantic is binary, ternary, \dots n -ary according as it contains two, three, \dots n variables; and is specifically known as a quadric, cubic, \dots m -ic according as it is of the second, third, \dots m th degree. Thus, the function

$$q = \dot{a}_{11}x_1^2 + a_{22}x_2^2 + a_{33}x_3^2 + 2a_{23}x_2x_3 + 2a_{31}x_3x_1 + 2a_{12}x_1x_2$$

is a ternary quadric.

A covariant is a quantic derived from another quantic in such manner that when both are transformed by the same linear substitutions the resulting quantics are still connected by the same process of derivation.

An invariant is a function of the coefficients of a quantic which is not effected by linear transformation of the quantic, except that it is multiplied by a power of the modulus.

It is obvious that every invariant of a covariant is an invariant of the original quantic.

ART. 35. THE DISCRIMINANT.

The discriminant of a quantic is the eliminant of its first derivatives.

Thus, the binary quadric

$$\phi \equiv a_{11}x_1^2 + a_{22}x_2^2 + 2a_{12}x_1x_2 = 0$$

gives

$$\frac{1}{2} \frac{\partial \phi}{\partial x_1} = a_{11}x_1 + a_{12}x_2 = 0, \quad \frac{1}{2} \frac{\partial \phi}{\partial x_2} = a_{12}x_1 + a_{22}x_2 = 0.$$

Hence, writing $a_{12} \equiv a_{21}$, the discriminant is

$$\delta \equiv \begin{vmatrix} a_{11} & a_{12} \\ a_{21} & a_{22} \end{vmatrix}.$$

If ϕ be transformed to ϕ' by the substitutions

$$x_1 = b_{11}u_1 + b_{12}u_2, \quad x_2 = b_{21}u_1 + b_{22}u_2,$$

and the discriminant δ' of ϕ' be formed, then

$$\delta' \equiv \begin{vmatrix} b_{11} & b_{12} \\ b_{21} & b_{22} \end{vmatrix} \cdot \delta.$$

Thus δ is an invariant of ϕ .

The notation for the n -ary quadric is

$$q \equiv \sum \sum a_{ks} x_k x_s, \quad \begin{matrix} k = 1, 2, \dots, n \\ s = 1, 2, \dots, n \end{matrix},$$

in which a_{kk} is the coefficient of x_k^2 , while that of $x_k x_s$ is a_{ks} .

The semi-derivatives of q are, upon writing $a_{ks} \equiv a_{sk}$,

$$q_i \equiv \frac{1}{2} \frac{\partial q}{\partial x_i} = a_{1i}x_1 + a_{2i}x_2 + \dots + a_{ni}x_n. \quad [i = 1, 2, \dots, n]$$

The discriminant is therefore the symmetrical determinant

$$\delta \equiv \begin{vmatrix} a_{11} & \dots & a_{1n} \\ \dots & \dots & \dots \\ a_{n1} & \dots & a_{nn} \end{vmatrix}.$$

It will be shown in Art. ³⁷42 that the discriminant of every quadric is an invariant. This also follows from Art. 30.

ART. 36. COMPOSITE QUADRICS.

Whenever a quadric is resolvable into ~~two~~ linear factors its discriminant vanishes.

To prove this, let

$$\sum \sum a_{ks} x_k x_s = (b_1 x_1 + \dots + b_n x_n)(c_1 x_1 + \dots + c_n x_n).$$

Equating coefficients gives

$$a_{kk} = b_k c_k, \quad 2a_{ks} = b_k c_s + b_s c_k. \quad \left[\begin{matrix} k=1, 2, \dots, n \\ s=1, 2, \dots, n \end{matrix} \right] \quad (1)$$

Now, the product of the two rectangular arrays

$$\left| \begin{matrix} b_1 b_2 \dots b_n \\ c_1 c_2 \dots c_n \end{matrix} \right| \cdot \left| \begin{matrix} c_1 c_2 \dots c_n \\ b_1 b_2 \dots b_n \end{matrix} \right|$$

is the determinant (Art. 31)

$$\left| \begin{matrix} 2b_1 c_1 & b_2 c_1 + b_1 c_2 & \dots & b_n c_1 + b_1 c_n \\ b_1 c_2 + b_2 c_1 & 2b_2 c_2 & \dots & b_n c_2 + b_2 c_n \\ \dots & \dots & \dots & \dots \\ b_1 c_n + b_n c_1 & b_2 c_n + b_n c_2 & \dots & 2b_n c_n \end{matrix} \right| = 0$$

Hence, substituting from the equations (1),

$$\delta \equiv \left| \begin{matrix} a_{11} & \dots & a_{1n} \\ \dots & \dots & \dots \\ a_{n1} & \dots & a_{nn} \end{matrix} \right| = 0.$$

ART. 37. DISCRIMINANT OF BINARY QUANTIC AN INVARIANT.

When a binary quantic contains a square factor its discriminant vanishes.

For, any such quantic is of the form

$$q \equiv (a_1 x_1 + a_2 x_2)^2 f(x_1, y_1),$$

and each of the derivatives $\frac{\partial q}{\partial x_1}$ and $\frac{\partial q}{\partial x_2}$ contains $(a_1 x_1 + a_2 x_2)$ as a factor. Their eliminant, which is the discriminant of q , must therefore vanish.

A square factor remains such after linear transformation. If, therefore, the discriminant vanishes, that of the transformed function also vanishes and thus contains the first as a factor. Hence, the discriminant of a binary quantic is an invariant.

ART. 38. THE JACOBIAN.

Let $y_1, y_2, \dots y_n$ be n functions, each of the n independent variables $x_1, x_2, \dots x_n$. Then the determinant

$$J \equiv \begin{vmatrix} \frac{\partial y_1}{\partial x_1} & \frac{\partial y_2}{\partial x_1} & \dots & \frac{\partial y_n}{\partial x_1} \\ \frac{\partial y_1}{\partial x_2} & \frac{\partial y_2}{\partial x_2} & \dots & \frac{\partial y_n}{\partial x_2} \\ \dots & \dots & \dots & \dots \\ \frac{\partial y_1}{\partial x_n} & \frac{\partial y_2}{\partial x_n} & \dots & \frac{\partial y_n}{\partial x_n} \end{vmatrix}$$

is called the Jacobian of the given functions.

The notation

$$J \equiv \frac{d(y_1, y_2, \dots y_n)}{d(x_1, x_2, \dots x_n)}$$

is in common use, being suggested by the close analogy between the Jacobian and the ordinary differential coefficient.

When the functions are linear, thus:

$$y_i = a_{1i}x_1 + a_{2i}x_2 + \dots + a_{ni}x_n \quad [i = 1, 2, \dots n]$$

it follows from the above definition that the Jacobian is the determinant of the coefficients. That is,

$$J \equiv | a_{11} a_{22} \dots a_{nn} |.$$

When the functions are not independent; that is, when $F(y_1, y_2, \dots y_n) = 0$, the Jacobian vanishes.

For, differentiating this function with respect to each of the variables $x_1, x_2, \dots x_n$ gives the consistent system

$$\frac{\partial F}{\partial y_1} \frac{\partial y_1}{\partial x_i} + \frac{\partial F}{\partial y_2} \frac{\partial y_2}{\partial x_i} + \dots + \frac{\partial F}{\partial y_n} \frac{\partial y_n}{\partial x_i} = 0; \quad [i = 1, 2, \dots n]$$

and eliminating $\frac{\partial F}{\partial y_1}, \dots, \frac{\partial F}{\partial y_n}$ from these equations there results

$$\left| \frac{\partial y_1}{\partial x_1} \frac{\partial y_2}{\partial x_2} \dots \frac{\partial y_n}{\partial x_n} \right| \equiv J = 0.$$

ART. 39. JACOBIAN OF INDIRECT FUNCTIONS.

When y_1, y_2, \dots, y_n are each functions of $\zeta_1, \zeta_2, \dots, \zeta_n$, these being functions each of x_1, x_2, \dots, x_n , then

$$\frac{d(y_1, y_2, \dots, y_n)}{d(x_1, x_2, \dots, x_n)} = \frac{d(y_1, y_2, \dots, y_n)}{d(\zeta_1, \zeta_2, \dots, \zeta_n)} \cdot \frac{d(\zeta_1, \zeta_2, \dots, \zeta_n)}{d(x_1, x_2, \dots, x_n)}.$$

This may be demonstrated by writing out each of the Jacobians in the second member in determinant form, changing columns into rows in the first, multiplying the two together by rows, and interpreting the result by means of the relation

$$\frac{dy_i}{dx_k} = \frac{\partial y_i}{\partial \zeta_1} \frac{\partial \zeta_1}{\partial x_k} + \frac{\partial y_i}{\partial \zeta_2} \frac{\partial \zeta_2}{\partial x_k} + \dots + \frac{\partial y_i}{\partial \zeta_n} \frac{\partial \zeta_n}{\partial x_k}.$$

Thus, for $n=2$,

$$\begin{aligned} \frac{d(y_1, y_2)}{d(\zeta_1, \zeta_2)} \cdot \frac{d(\zeta_1, \zeta_2)}{d(x_1, x_2)} &= \begin{vmatrix} \frac{\partial y_1}{\partial \zeta_1} & \frac{\partial y_1}{\partial \zeta_2} \\ \frac{\partial y_2}{\partial \zeta_1} & \frac{\partial y_2}{\partial \zeta_2} \end{vmatrix} \cdot \begin{vmatrix} \frac{\partial \zeta_1}{\partial x_1} & \frac{\partial \zeta_2}{\partial x_1} \\ \frac{\partial \zeta_1}{\partial x_2} & \frac{\partial \zeta_2}{\partial x_2} \end{vmatrix} \\ &= \begin{vmatrix} \frac{\partial y_1}{\partial \zeta_1} \frac{\partial \zeta_1}{\partial x_1} + \frac{\partial y_1}{\partial \zeta_2} \frac{\partial \zeta_2}{\partial x_1} & \frac{\partial y_1}{\partial \zeta_1} \frac{\partial \zeta_1}{\partial x_2} + \frac{\partial y_1}{\partial \zeta_2} \frac{\partial \zeta_2}{\partial x_2} \\ \frac{\partial y_2}{\partial \zeta_1} \frac{\partial \zeta_1}{\partial x_1} + \frac{\partial y_2}{\partial \zeta_2} \frac{\partial \zeta_2}{\partial x_1} & \frac{\partial y_2}{\partial \zeta_1} \frac{\partial \zeta_1}{\partial x_2} + \frac{\partial y_2}{\partial \zeta_2} \frac{\partial \zeta_2}{\partial x_2} \end{vmatrix} \\ &= \begin{vmatrix} \frac{\partial y_1}{\partial x_1} & \frac{\partial y_1}{\partial x_2} \\ \frac{\partial y_2}{\partial x_1} & \frac{\partial y_2}{\partial x_2} \end{vmatrix} = \frac{d(y_1, y_2)}{d(x_1, x_2)}. \end{aligned}$$

It may be shown in precisely similar manner that, when the functions y_1, y_2, \dots, y_n are independent,

$$\frac{d(y_1, y_2, \dots, y_n)}{d(x_1, x_2, \dots, x_n)} \cdot \frac{d(x_1, x_2, \dots, x_n)}{d(y_1, y_2, \dots, y_n)} = 1.$$

ART. 40. THE JACOBIAN A COVARIANT.

When, in the preceding article, the functions $\zeta_1, \zeta_2, \dots, \zeta_n$ are linear, thus:

$$\zeta_i = a_{1i}x_1 + a_{2i}x_2 + \dots + a_{ni}x_n; \quad [i = 1, 2, \dots, n]$$

then (Art. 38)

$$\frac{d(y_1, y_2, \dots, y_n)}{d(x_1, x_2, \dots, x_n)} = |a_{11}a_{22} \dots a_{nn}| \frac{d(y_1, y_2, \dots, y_n)}{d(\zeta_1, \zeta_2, \dots, \zeta_n)}.$$

Hence, if a set of functions be subjected to linear transformation, the Jacobian of the transformed functions is equal to that of the given functions multiplied by the modulus of the transformation. That is, the Jacobian is a covariant of the set of functions from which it is derived; unless these functions are linear, in which case it is an invariant.

ART. 41. JACOBIAN OF IMPLICIT FUNCTIONS.

When the functions are implicit, thus:

$$\phi_i(y_1, y_2, \dots, y_n, x_1, x_2, \dots, x_n) = 0; \quad [i = 1, 2, \dots, n]$$

then

$$\frac{d(y_1, y_2, \dots, y_n)}{d(x_1, x_2, \dots, x_n)} = (-1)^n \frac{\frac{d(\phi_1, \phi_2, \dots, \phi_n)}{d(x_1, x_2, \dots, x_n)}}{\frac{d(\phi_1, \phi_2, \dots, \phi_n)}{d(y_1, y_2, \dots, y_n)}}.$$

To prove this, write the above Jacobians in determinant form, change columns into rows in the first member, and clear of fractions. This gives, representing by P the resulting product in the first member,

$$P \equiv \left| \frac{\partial \phi_i}{\partial y_1} \frac{\partial y_1}{\partial x_k} + \dots + \frac{\partial \phi_i}{\partial y_n} \frac{\partial y_n}{\partial x_k} \right|.$$

Now, the total derivative of ϕ_i with respect to x_k is

$$\begin{aligned} \frac{d\phi_i}{dx_k} = & \frac{\partial \phi_i}{\partial y_1} \frac{\partial y_1}{\partial x_k} + \dots + \frac{\partial \phi_i}{\partial y_n} \frac{\partial y_n}{\partial x_k} \\ & + \frac{\partial \phi_i}{\partial x_1} \frac{\partial x_1}{\partial x_k} + \dots + \frac{\partial \phi_i}{\partial x_k} \frac{\partial x_k}{\partial x_k} + \dots + \frac{\partial \phi_i}{\partial x_n} \frac{\partial x_n}{\partial x_k} = 0. \end{aligned}$$

But, since x_1, x_2, \dots, x_n are independent, this becomes

$$\frac{\partial \phi_i}{\partial y_1} \frac{\partial y_1}{\partial x_k} + \dots + \frac{\partial \phi_i}{\partial y_n} \frac{\partial y_n}{\partial x_k} = -\frac{\partial \phi_i}{\partial x_k}.$$

The above product thus becomes

$$P = \left| -\frac{\partial \phi_i}{\partial x_k} \right| = (-1)^n \left| \frac{\partial \phi_i}{\partial x_k} \right| = (-1)^n \frac{d(\phi_1, \phi_2, \dots, \phi_n)}{d(x_1, x_2, \dots, x_n)},$$

which is the required proof.

ART. 42. THE HESSIAN.

The Jacobian of the first differential coefficients of a function of n variables is called the Hessian of the function. Thus, the Hessian of $\phi(x_1, x_2, \dots, x_n)$ is

$$H(\phi) \equiv \frac{d\left(\frac{\partial \phi}{\partial x_1}, \frac{\partial \phi}{\partial x_2}, \dots, \frac{\partial \phi}{\partial x_n}\right)}{d(x_1, x_2, \dots, x_n)} = \begin{vmatrix} \frac{\partial^2 \phi}{\partial x_1^2} & \dots & \frac{\partial^2 \phi}{\partial x_n \partial x_1} \\ \dots & \dots & \dots \\ \frac{\partial^2 \phi}{\partial x_1 \partial x_n} & \dots & \frac{\partial^2 \phi}{\partial x_n^2} \end{vmatrix}.$$

Since

$$\frac{\partial^2 \phi}{\partial x_k \partial x_s} = \frac{\partial^2 \phi}{\partial x_s \partial x_k},$$

the Hessian is a symmetric determinant.

The Hessian of a quadric differs from the discriminant only by a numerical factor.

Let the function ϕ be transformed into ϕ' by the linear substitutions

$$x_i = a_{1i}u_1 + a_{2i}u_2 + \dots + a_{ni}u_n. \quad [i = 1, 2, \dots, n]$$

Then (Art. 40)

$$H(\phi') = \frac{d\left(\frac{\partial \phi'}{\partial u_1}, \frac{\partial \phi'}{\partial u_2}, \dots, \frac{\partial \phi'}{\partial u_n}\right)}{d(u_1, u_2, \dots, u_n)} = |a_{1,n}| \frac{d\left(\frac{\partial \phi'}{\partial u_1}, \frac{\partial \phi'}{\partial u_2}, \dots, \frac{\partial \phi'}{\partial u_n}\right)}{d(x_1, x_2, \dots, x_n)}.$$

But $\frac{\partial^2 \phi'}{\partial x_s \partial u_k} = \frac{\partial^2 \phi}{\partial u_k \partial x_s}$, and the above equation may therefore be written

$$\begin{aligned} H(\phi') &= |a_{1,n}| \frac{d\left(\frac{\partial \phi}{\partial x_1}, \frac{\partial \phi}{\partial x_2}, \dots, \frac{\partial \phi}{\partial x_n}\right)}{d(u_1, u_2, \dots, u_n)} \\ &= |a_{1,n}|^2 \frac{d\left(\frac{\partial \phi}{\partial x_1}, \frac{\partial \phi}{\partial x_2}, \dots, \frac{\partial \phi}{\partial x_n}\right)}{d(x_1, x_2, \dots, x_n)} \\ &= |a_{1,n}|^2 H(\phi). \end{aligned}$$

That is, if a function be subjected to linear transformation, the Hessian of the transformed function will equal that of the given function multiplied by the square of the modulus of the transformation. It follows that the Hessian is a covariant of the function from which it is derived; unless this function is a quadric, in which case it is an invariant (Art. 35).

Prob. 45. Tell whether or not the following quadrics are prime:

- (1) $5x^2 - 9y^2 - 5z^2 + 18yz + 24zx - 12xy$;
 (2) $x^2 + z^2 + yz - 2zx + xy$; (3) $9y^2 + 15yz - 6zx + 8xy$.

Prob. 46. Find the values of λ in order that each of the following quadrics may be composite:

- (1) $\lambda xy + 5zx + 3yz + 2z^2$;
 (2) $2x^2 - 3\lambda y^2 - 12z^2 + 17yz + \lambda zx - xy$;
 (3) $4x^2 + 3z^2 - 5yz + 3zx + 2xy + \lambda(x^2 + 3y^2 - yz + 5zx + 3xy)$.

Prob. 47. Find the Jacobian of the functions

$$\begin{aligned} y_1 &= 1 - x_1, \quad y_2 = x_1(1 - x_2), \quad y_3 = x_1x_2(1 - x_3), \\ &\dots y_n = x_1x_2 \dots x_{n-1}(1 - x_n). \end{aligned}$$

Prob. 48. Show, by means of their Jacobian, that the functions

$$y_1 = (x - x_2)(x_2 + x_3), \quad y_2 = (x_1 + x_2)(x_2 - x_3), \quad y_3 = x_2(x_2 - x_1)$$

are not independent.

Prob. 49. Find $\frac{d(x, y)}{d(u, v)}$; having given $x = \rho \cos \theta$ and $y = \rho \sin \theta$, in which $\rho = au$, $\theta = bv$.

Prob. 50. Given $\frac{x \cos u}{v \cos y} = 0$, $\frac{u \sin x}{y \sin v} = 0$; to find $\frac{d(u, v)}{d(x, y)}$.

Prob. 51. Obtain the Hessian and the discriminant of: (a) the binary cubic; (b) the quaternary quadric; (c) the binary quartic.

Prob. 52. Find the Hessian of

$$ax^2 + by^2 + cz^2 + 2fyz + 2gzx + 2hxy,$$

and also that of the same function transformed by the substitutions.

$$x = l_1x' + m_1y_1 + n_1z', \quad y = l_2x' + m_2y' + n_2z', \quad z = l_3x' + m_3y' + n_3z'.$$

INDEX.

- Alternant, 21.
Arrays, square, 10, 11.
 rectangular, 33.
Binomial, factors, removal of, 20.
Cauchy, 7, 11, 27.
Cauchy's method of expansion, 26.
Cayley, 7.
Co-factors, 21, 37.
Columns and rows, 10, 16, 17.
Composition of parallel lines, 19.
Consistence of equations, 33.
Covariants, 45, 50, 52.
Cramer, 7.
De L'Hospital, 7.
Development of determinants, 23.
Differentiation, 28.
Discriminant, 46, 47.
Eliminant, of linear systems, 35.
 Sylvester's dialytic, 38.
Equations, linear systems of, 31, 40.
Even permutations, 8.
Gauss, 7.
Hessian, 51.
Homogeneous systems, 35.
Implicit functions, Jacobian of, 50.
Indirect functions, Jacobian of, 49.
Interchange of elements, 9.
 of rows and columns, 16.
Invariant, 46, 47.
Inversions and permanences, 8, 9.
Jacobi, 7.
Jacobian, 48.
Lagrange, 7.
Laplace, 34.
Leibnitz, 7.
Linear systems of equations, 31, 33, 35.
 transformations, 40, 44.
Lowering the order, 30.
Matrix, 35.
Minor, 21.
Multiplication of determinants, 18, 40.
 of matrices, 43.
 theorem, 40.
Negative permutations, 8, 10.
Notation of determinants, 13.
Odd permutations, 8.
Order of determinant, 12.
Parallel lines, 17.
Permanences and inversions, 8, 9.
Permutations, positive and negative,
 8, 10.
Polynomial elements, 18.
Positive permutations, 8, 10.

- Product of determinants, 40, 42.
 of rectangular arrays, 43.
- Quadric, 45, 51.
- Quantic, 45, 46, 47.
- Raising the order, 29.
- Reciprocal determinants, 44.
- Resultant, 34.
- Rows and columns, 10, 16.
- Sarrus's rule, 14.
- Solution of linear systems, 31.
- Sylvester, 7, 38.
- Sylvester's method of elimination, 38.
- Transformations, linear, 44.
 unimodular, 45.
- Unimodular transformations, 45.
- Vandermonde, 7.
- Zero determinants, 37.
 formulas, 25.

Metcalf's Cost of Manufactures—And the Administration of Workshops.	8vo,	5 00
* Ordnance and Gunnery. 2 vols.	12mo,	5 00
Murray's Infantry Drill Regulations.	18mo, paper,	10
Nixon's Adjutants' Manual.	24mo,	1 00
Peabody's Naval Architecture.	8vo,	7 50
* Phelps's Practical Marine Surveying.	8vo,	2 50
Powell's Army Officer's Examiner.	12mo,	4 00
Sharpe's Art of Subsisting Armies in War.	18mo, morocco,	1 50
* Walke's Lectures on Explosives.	8vo,	4 00
* Wheeler's Siege Operations and Military Mining.	8vo,	2 00
Winthrop's Abridgment of Military Law.	12mo,	2 50
Woodhull's Notes on Military Hygiene.	16mo,	1 50
Young's Simple Elements of Navigation.	16mo, morocco,	2 00

ASSAYING.

Fletcher's Practical Instructions in Quantitative Assaying with the Blowpipe.	12mo, morocco,	1 50
Furman's Manual of Practical Assaying.	8vo,	3 00
✓ Lodge's Notes on Assaying and Metallurgical Laboratory Experiments.	8vo,	3 00
Low's Technical Methods of Ore Analysis.	8vo,	3 00
Miller's Manual of Assaying.	12mo,	1 00
Minet's Production of Aluminum and its Industrial Use. (Waldo.)	12mo,	2 50
O'Driscoll's Notes on the Treatment of Gold Ores.	8vo,	2 00
Ricketts and Miller's Notes on Assaying.	8vo,	3 00
Robine and Lenglen's Cyanide Industry. (Le Clerc.)	8vo,	
Ulke's Modern Electrolytic Copper Refining.	8vo,	3 00
Wilson's Cyanide Processes.	12mo,	1 50
Chlorination Process.	12mo,	1 50

ASTRONOMY.

Comstock's Field Astronomy for Engineers.	8vo,	2 50
Craig's Azimuth.	4to,	3 50
✓ Doolittle's Treatise on Practical Astronomy.	8vo,	4 00
Gore's Elements of Geodesy.	8vo,	2 50
✓ Hayford's Text-book of Geodetic Astronomy.	8vo,	3 00
Merriman's Elements of Precise Surveying and Geodesy.	8vo,	2 50
* Michie and Harlow's Practical Astronomy.	8vo,	3 00
* White's Elements of Theoretical and Descriptive Astronomy	12mo,	2 00

BOTANY.

Davenport's Statistical Methods, with Special Reference to Biological Variation.	16mo, morocco,	1 25
Thomé and Bennett's Structural and Physiological Botany.	16mo,	2 25
Westermaier's Compendium of General Botany. (Schneider.)	8vo,	2 00

CHEMISTRY.

Adriance's Laboratory Calculations and Specific Gravity Tables.	12mo,	1 25
Allen's Tables for Iron Analysis.	8vo,	3 00
Arnold's Compendium of Chemistry. (Mandel.)	Small 8vo,	3 50
Austen's Notes for Chemical Students	12mo,	1 50
Bernadou's Smokeless Powder.—Nitro-cellulose, and Theory of the Cellulose Molecule	12mo,	2 50
* Browning's Introduction to the Rarer Elements.	8vo,	1 50

Brush and Penfield's Manual of Determinative Mineralogy.	8vo,	4 00
Classen's Quantitative Chemical Analysis by Electrolysis. (Boltwood.) .	8vo,	3 00
Cohn's Indicators and Test-papers.	12mo,	2 00
Tests and Reagents.	8vo,	3 00
Crafts's Short Course in Qualitative Chemical Analysis. (Schaeffer.) .	12mo,	1 50
Dolezalek's Theory of the Lead Accumulator (Storage Battery). (Von Ende.) .	12mo,	2 50
Drechsel's Chemical Reactions. (Merrill.) .	12mo,	1 25
Duhem's Thermodynamics and Chemistry. (Burgess.) .	8vo,	4 00
Eissler's Modern High Explosives.	8vo,	4 00
Effront's Enzymes and their Applications. (Prescott.) .	8vo,	3 00
Erdmann's Introduction to Chemical Preparations. (Dunlap.) .	12mo,	1 25
Fletcher's Practical Instructions in Quantitative Assaying with the Blowpipe.	12mo, morocco,	1 50
Fowler's Sewage Works Analyses.	12mo,	2 00
Fresenius's Manual of Qualitative Chemical Analysis. (Wells.) .	8vo,	5 00
Manual of Qualitative Chemical Analysis. Part I. Descriptive. (Wells.) .	8vo,	3 00
System of Instruction in Quantitative Chemical Analysis. (Cohn.) 2 vols.	8vo,	12 50
Fuertes's Water and Public Health.	12mo,	1 50
Furman's Manual of Practical Assaying.	8vo,	3 00
* Getman's Exercises in Physical Chemistry.	12mo,	2 00
✓ Gill's Gas and Fuel Analysis for Engineers.	12mo,	1 25
Grottenfelt's Principles of Modern Dairy Practice. (Woll.) .	12mo,	2 00
Hammarsten's Text-book of Physiological Chemistry. (Mandel.) .	8vo,	4 00
Helm's Principles of Mathematical Chemistry. (Morgan.) .	12mo,	1 50
Hering's Ready Reference Tables (Conversion Factors).	16mo, morocco,	2 50
Hind's Inorganic Chemistry.	8vo,	3 00
* Laboratory Manual for Students .	12mo,	1 00
✓ Holleman's Text-book of Inorganic Chemistry. (Cooper.) .	8vo,	2 50
✓ Text-book of Organic Chemistry. (Walker and Mott.) .	8vo,	2 50
* Laboratory Manual of Organic Chemistry. (Walker.) .	12mo,	1 00
Hopkins's Oil-chemists' Handbook.	8vo,	3 00
Jackson's Directions for Laboratory Work in Physiological Chemistry. .	8vo,	1 25
Keep's Cast Iron.	8vo,	2 50
Ladd's Manual of Quantitative Chemical Analysis.	12mo,	1 00
Landauer's Spectrum Analysis. (Tingle.) .	8vo,	3 00
* Langworthy and Austen. The Occurrence of Aluminium in Vegetable Products, Animal Products, and Natural Waters.	8vo,	2 00
Lassar-Cohn's Practical Urinary Analysis. (Lorenz.) .	12mo,	1 00
Application of Some General Reactions to Investigations in Organic Chemistry. (Tingle.) .	12mo,	1 00
Leach's The Inspection and Analysis of Food with Special Reference to State Control.	8vo,	7 50
Löb's Electrochemistry of Organic Compounds. (Lorenz.) .	8vo,	3 00
Lodge's Notes on Assaying and Metallurgical Laboratory Experiments. .	8vo,	3 00
Low's Technical Method of Ore Analysis.	8vo,	3 00
Lunge's Techno-chemical Analysis. (Cohn.) .	12mo,	1 00
Mandel's Handbook for Bio-chemical Laboratory .	12mo,	1 50
* Martin's Laboratory Guide to Qualitative Analysis with the Blowpipe. .	12mo,	60
Mason's Water-supply. (Considered Principally from a Sanitary Standpoint.) 3d Edition, Rewritten.	8vo,	4 00
Examination of Water. (Chemical and Bacteriological.) .	12mo,	1 25
Matthew's The Textile Fibres.	8vo,	3 50
Meyer's Determination of Radicles in Carbon Compounds. (Tingle.) .	12mo,	1 00
Miller's Manual of Assaying.	12mo,	1 00
Minet's Production of Aluminum and its Industrial Use. (Waldo.) .	12mo,	2 50
Mixter's Elementary Text-book of Chemistry.	12mo,	1 50
Morgan's Elements of Physical Chemistry.	12mo,	3 00
* Physical Chemistry for Electrical Engineers.	12mo,	1 50

Morse's Calculations used in Cane-sugar Factories.	16mo, morocco,	1 50
Mulliken's General Method for the Identification of Pure Organic Compounds. Vol. I.	Large 8vo,	5 00
O'Brine's Laboratory Guide in Chemical Analysis.	8vo,	2 00
O'Driscoll's Notes on the Treatment of Gold Ores.	8vo,	2 00
✓ Ostwald's Conversations on Chemistry. Part One. (Ramsey).	12mo,	1 50
“ “ “ “ Part Two. (Turnbull).	12mo,	2 00
* Penfield's Notes on Determinative Mineralogy and Record of Mineral Tests. 8vo, paper,		50
Pictet's The Alkaloids and their Chemical Constitution. (Biddle).	8vo,	5 00
Pinner's Introduction to Organic Chemistry. (Austen).	12mo,	1 50
Poole's Calorific Power of Fuels.	8vo,	3 00
Prescott and Winslow's Elements of Water Bacteriology, with Special Refer- ence to Sanitary Water Analysis.	12mo,	1 25
* Reisig's Guide to Piece-dyeing.	8vo,	25 00
Richards and Woodman's Air, Water, and Food from a Sanitary Stand- point.	8vo,	2 00
Richards's Cost of Living as Modified by Sanitary Science.	12mo,	1 00
Cost of Food, a Study in Dietsaries.	12mo,	1 00
* Richards and Williams's The Dietary Computer.	8vo,	1 50
Ricketts and Russell's Skeleton Notes upon Inorganic Chemistry. (Part I. Non-metallic Elements.)	8vo, morocco,	75
Ricketts and Miller's Notes on Assaying.	8vo,	3 00
Rideal's Sewage and the Bacterial Purification of Sewage.	8vo,	3 50
Disinfection and the Preservation of Food.	8vo,	4 00
Rigg's Elementary Manual for the Chemical Laboratory.	8vo,	1 25
Robine and Lenglen's Cyanide Industry. (Le Clerc).	8vo,	
Rostowski's Serum Diagnosis. (Bolduan).	12mo,	1 00
Ruddiman's Incompatibilities in Prescriptions.	8vo,	2 00
* Whys in Pharmacy.	12mo,	1 00
Sabin's Industrial and Artistic Technology of Paints and Varnish.	8vo,	3 00
Salkowski's Physiological and Pathological Chemistry. (Orndorff).	8vo,	2 50
Schimpf's Text-book of Volumetric Analysis.	12mo,	2 50
Essentials of Volumetric Analysis.	12mo,	1 25
* Qualitative Chemical Analysis.	8vo,	1 25
Spencer's Handbook for Chemists of Beet-sugar Houses.	16mo, morocco,	3 00
Handbook for Cane Sugar Manufacturers.	16mo, morocco,	3 00
Stockbridge's Rocks and Soils.	8vo,	2 50
* Tillman's Elementary Lessons in Heat.	8vo,	1 50
* Descriptive General Chemistry.	8vo,	3 00
✓ Treadwell's Qualitative Analysis. (Hall).	8vo,	3 00
✓ Quantitative Analysis. (Hall).	8vo,	4 00
Turneure and Russell's Public Water-supplies.	8vo,	5 00
Van Deventer's Physical Chemistry for Beginners. (Boltwood).	12mo,	1 50
* Walke's Lectures on Explosives.	8vo,	4 00
Ware's Beet-sugar Manufacture and Refining.	Small 8vo, cloth,	4 00
Washington's Manual of the Chemical Analysis of Rocks.	8vo,	2 00
Wassermann's Immune Sera: Hæmolysins, Cytotoxins, and Precipitins. (Bol- duan).	12mo,	1 00
Well's Laboratory Guide in Qualitative Chemical Analysis.	8vo,	1 50
Short Course in Inorganic Qualitative Chemical Analysis for Engineering Students.	12mo,	1 50
Text-book of Chemical Arithmetic.	12mo,	1 25
Whipple's Microscopy of Drinking-water.	8vo,	3 50
Wilson's Cyanide Processes.	12mo,	1 50
Chlorination Process.	12mo,	1 50
Winton's Microscopy of Vegetable Foods.	8vo,	7 50
Wulling's Elementary Course in Inorganic, Pharmaceutical, and Medical Chemistry.	12mo,	2 00

CIVIL ENGINEERING.

BRIDGES AND ROOFS. HYDRAULICS. MATERIALS OF ENGINEERING. RAILWAY ENGINEERING.

Baker's Engineers' Surveying Instruments.	12mo,	3 00
Bixby's Graphical Computing Table.	Paper 19½ × 24½ inches.	25
** Burr's Ancient and Modern Engineering and the Isthmian Canal. (Postage, 27 cents additional.)	8vo,	3 50
Comstock's Field Astronomy for Engineers.	8vo,	2 50
Davis's Elevation and Stadia Tables.	8vo,	1 00
Elliott's Engineering for Land Drainage.	12mo,	1 50
Practical Farm Drainage.	12mo,	1 00
✓ Fiebigger's Treatise on Civil Engineering.	8vo,	5 00
Folwell's Sewerage. (Designing and Maintenance.)	8vo,	3 00
Freitag's Architectural Engineering. 2d Edition, Rewritten	8vo,	3 50
French and Ives's Stereotomy.	8vo,	2 50
Goodhue's Municipal Improvements.	12mo,	1 75
Goodrich's Economic Disposal of Towns' Refuse.	8vo,	3 50
Gore's Elements of Geodesy.	8vo,	2 50
Hayford's Text-book of Geodetic Astronomy.	8vo,	3 00
Hering's Ready Reference Tables (Conversion Factors).	16mo, morocco,	2 50
Howe's Retaining Walls for Earth.	12mo,	1 25
Johnson's (J. B.) Theory and Practice of Surveying.	Small 8vo,	4 00
Johnson's (L. J.) Statics by Algebraic and Graphic Methods.	8vo,	2 00
Laplace's Philosophical Essay on Probabilities. (Truscott and Emory.)	12mo,	2 00
Mahan's Treatise on Civil Engineering. (1873.) (Wood.)	8vo,	5 00
* Descriptive Geometry.	8vo,	1 50
Merriman's Elements of Precise Surveying and Geodesy.	8vo,	2 50
Merriman and Brooks's Handbook for Surveyors.	16mo, morocco,	7 00
Nugent's Plane Surveying.	8vo,	3 50
Ogden's Sewer Design.	12mo,	2 00
Patton's Treatise on Civil Engineering.	8vo half leather,	7 50
Reed's Topographical Drawing and Sketching	4to,	5 00
Rideal's Sewage and the Bacterial Purification of Sewage.	8vo,	3 50
Siebert and Biggin's Modern Stone-cutting and Masonry.	8vo,	1 50
Smith's Manual of Topographical Drawing. (McMillan.)	8vo,	2 50
Sondericker's Graphic Statics, with Applications to Trusses, Beams, and Arches.	8vo,	2 00
Taylor and Thompson's Treatise on Concrete, Plain and Reinforced.	8vo,	5 00
* Trautwine's Civil Engineer's Pocket-book.	16mo, morocco,	5 00
Wait's Engineering and Architectural Jurisprudence.	8vo,	6 00
Sheep,		6 50
Law of Operations Preliminary to Construction in Engineering and Architecture.	8vo,	5 00
Sheep,		5 50
Law of Contracts.	8vo,	3 00
Warren's Stereotomy—Problems in Stone-cutting.	8vo,	2 50
Webb's Problems in the Use and Adjustment of Engineering Instruments.	16mo, morocco,	1 25
Wilson's Topographic Surveying.	8vo,	3 50

BRIDGES AND ROOFS.

Boller's Practical Treatise on the Construction of Iron Highway Bridges.	8vo,	2 00
* Thames River Bridge.	4to, paper,	5 00
Burr's Course on the Stresses in Bridges and Roof Trusses, Arched Ribs, and Suspension Bridges.	8vo,	3 50

Burr and Falk's Influence Lines for Bridge and Roof Computations . . .	8vo,	3 00
Design and Construction of Metallic Bridges	8vo,	5 00
Du Bois's Mechanics of Engineering. Vol. II.	Small 4to,	10 00
Foster's Treatise on Wooden Trestle Bridges.	4to,	5 00
Fowler's Ordinary Foundations.	8vo,	3 50
Greene's Roof Trusses.	8vo,	1 25
Bridge Trusses.	8vo,	2 50
Arches in Wood, Iron, and Stone.	8vo,	2 50
Howe's Treatise on Arches.	8vo,	4 00
Design of Simple Roof-trusses in Wood and Steel.	8vo,	2 00
Johnson, Bryan, and Turneure's Theory and Practice in the Designing of Modern Framed Structures.	Small 4to,	10 00
Merriman and Jacoby's Text-book on Roofs and Bridges:		
Part I. Stresses in Simple Trusses.	8vo,	2 50
Part II. Graphic Statics.	8vo,	2 50
Part III. Bridge Design.	8vo,	2 50
Part IV. Higher Structures.	8vo,	2 50
Morison's Memphis Bridge.	4to,	10 00
Waddell's De Pontibus, a Pocket-book for Bridge Engineers. . .	16mo, morocco,	2 00
Specifications for Steel Bridges.	12mo,	1 25
Wright's Designing of Draw-spans. Two parts in one volume.	8vo,	3 50

HYDRAULICS.

Bazin's Experiments upon the Contraction of the Liquid Vein Issuing from an Orifice. (Trautwine.)	8vo,	2 00
Bovey's Treatise on Hydraulics.	8vo,	5 00
Church's Mechanics of Engineering.	8vo,	6 00
Diagrams of Mean Velocity of Water in Open Channels.	paper,	1 50
Hydraulic Motors.	8vo,	2 00
Coffin's Graphical Solution of Hydraulic Problems.	16mo, morocco,	2 50
Flather's Dynamometers, and the Measurement of Power.	12mo,	3 00
Folwell's Water-supply Engineering.	8vo,	4 00
Frizell's Water-power.	8vo,	5 00
Fuertes's Water and Public Health.	12mo,	1 50
Water-filtration Works.	12mo,	2 50
Ganguillet and Kutter's General Formula for the Uniform Flow of Water in Rivers and Other Channels. (Hering and Trautwine.)	8vo,	4 00
Hazen's Filtration of Public Water-supply.	8vo,	3 00
Hazlehurst's Towers and Tanks for Water-works.	8vo,	2 50
Herschel's 115 Experiments on the Carrying Capacity of Large, Riveted, Metal Conduits.	8vo,	2 00
Mason's Water-supply. (Considered Principally from a Sanitary Standpoint.) 8vo,	8vo,	4 00
Merriman's Treatise on Hydraulics.	8vo,	5 00
* Michie's Elements of Analytical Mechanics.	8vo,	4 00
Schuyler's Reservoirs for Irrigation, Water-power, and Domestic Water- supply.	Large 8vo,	5 00
** Thomas and Watt's Improvement of Rivers. (Post, 44c. additional.) .	4to,	6 00
Turneure and Russell's Public Water-supplies.	8vo,	5 00
Wegmann's Design and Construction of Dams.	4to,	5 00
Water-supply of the City of New York from 1658 to 1895.	4to,	10 00
Williams and Hazen's Hydraulic Tables.	8vo,	1 50
Wilson's Irrigation Engineering.	Small 8vo,	4 00
Wolff's Windmill as a Prime Mover.	8vo,	3 00
Wood's Turbines.	8vo,	2 50
Elements of Analytical Mechanics.	8vo,	3 00

MATERIALS OF ENGINEERING.

Baker's Treatise on Masonry Construction.	8vo,	5 00
Roads and Pavements.	8vo,	5 00
Black's United States Public Works.	Oblong 4to,	5 00
* Bovey's Strength of Materials and Theory of Structures.	8vo,	7 50
Burr's Elasticity and Resistance of the Materials of Engineering.	8vo,	7 50
Byrne's Highway Construction.	8vo,	5 00
Inspection of the Materials and Workmanship Employed in Construction.	16mo,	3 00
Church's Mechanics of Engineering.	8vo,	6 00
Du Bois's Mechanics of Engineering. Vol. I.	Small 4to,	7 50
*Eckel's Cements, Limes, and Plasters.	8vo,	6 00
Johnson's Materials of Construction.	Large 8vo,	6 00
Fowler's Ordinary Foundations.	8vo,	3 50
* Greene's Structural Mechanics.	8vo,	2 50
Keep's Cast Iron.	8vo,	2 50
Lanza's Applied Mechanics.	8vo,	7 50
Marten's Handbook on Testing Materials. (Henning.) 2 vols.	8vo,	7 50
Maurer's Technical Mechanics.	8vo,	4 00
Merrill's Stones for Building and Decoration.	8vo,	5 00
Merriman's Mechanics of Materials.	8vo,	5 00
Strength of Materials.	12mo,	1 00
Metcalf's Steel. A Manual for Steel-users.	12mo,	2 00
Patton's Practical Treatise on Foundations.	8vo,	5 00
Richardson's Modern Asphalt Pavements.	8vo,	3 00
Richey's Handbook for Superintendents of Construction.	16mo, mor.,	4 00
Rockwell's Roads and Pavements in France.	12mo,	1 25
Sabin's Industrial and Artistic Technology of Paints and Varnish.	8vo,	3 00
Smith's Materials of Machines.	12mo,	1 00
Snow's Principal Species of Wood.	8vo,	3 50
Spalding's Hydraulic Cement.	12mo,	2 00
Text-book on Roads and Pavements.	12mo,	2 00
Taylor and Thompson's Treatise on Concrete, Plain and Reinforced.	8vo,	5 00
Thurston's Materials of Engineering. 3 Parts.	8vo,	8 00
Part I. Non-metallic Materials of Engineering and Metallurgy.	8vo,	2 00
Part II. Iron and Steel.	8vo,	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and their Constituents.	8vo,	2 50
Thurston's Text-book of the Materials of Construction.	8vo,	5 00
Tillson's Street Pavements and Paving Materials.	8vo,	4 00
Waddell's De Pontibus. (A Pocket-book for Bridge Engineers.) .	16mo, mor.,	2 00
Specifications for Steel Bridges.	12mo,	1 25
Wood's (De V.) Treatise on the Resistance of Materials, and an Appendix on the Preservation of Timber.	8vo,	2 00
Wood's (De V.) Elements of Analytical Mechanics.	8vo,	3 00
Wood's (M. P.) Rustless Coatings: Corrosion and Electrolysis of Iron and Steel.	8vo,	4 00

RAILWAY ENGINEERING.

Andrew's Handbook for Street Railway Engineers.	3x5 inches, morocco,	1 25
Berg's Buildings and Structures of American Railroads.	4to,	5 00
Brook's Handbook of Street Railroad Location.	16mo, morocco,	1 50
Butt's Civil Engineer's Field-book.	16mo, morocco,	2 50
Crandall's Transition Curve.	16mo, morocco,	1 50
Railway and Other Earthwork Tables.	8vo,	1 50
Dawson's "Engineering" and Electric Traction Pocket-book. .	16mo, morocco,	5 00

Dredge's History of the Pennsylvania Railroad: (1879).....	Paper,	5 00
* Drinker's Tunnelling, Explosive Compounds, and Rock Drills. 4to, half mor.,		25 00
Fisher's Table of Cubic Yards.....	Cardboard,	25
Godwin's Railroad Engineers' Field-book and Explorers' Guide.....	16mo, mor.,	2 50
Howard's Transition Curve Field-book.....	16mo, morocco,	1 50
Hudson's Tables for Calculating the Cubic Contents of Excavations and Embankments.....	8vo,	1 00
Molitor and Beard's Manual for Resident Engineers.....	16mo,	1 00
Nagle's Field Manual for Railroad Engineers.....	16mo, morocco,	3 00
Philbrick's Field Manual for Engineers.....	16mo, morocco,	3 00
Searles's Field Engineering.....	16mo, morocco,	3 00
Railroad Spiral.....	16mo, morocco,	1 50
Taylor's Prismoidal Formulæ and Earthwork.....	8vo,	1 50
* Trautwine's Method of Calculating the Cube Contents of Excavations and Embankments by the Aid of Diagrams.....	8vo,	2 00
The Field Practice of Laying Out Circular Curves for Railroads.....	12mo, morocco,	2 50
Cross-section Sheet.....	Paper,	25
✓ Webb's Railroad Construction.....	16mo, morocco,	5 00
Wellington's Economic Theory of the Location of Railways.....	Small 8vo,	5 00

DRAWING.

Barr's Kinematics of Machinery.....	8vo,	2 50
* Bartlett's Mechanical Drawing.....	8vo,	3 00
* " " " " Abridged Ed.....	8vo,	1 50
Coolidge's Manual of Drawing.....	8vo, paper	1 00
Coolidge and Freeman's Elements of General Drafting for Mechanical Engineers.....	Oblong 4to,	2 50
Durley's Kinematics of Machines.....	8vo,	4 00
Emch's Introduction to Projective Geometry and its Applications.....	8vo,	2 50
Hill's Text-book on Shades and Shadows, and Perspective.....	8vo,	2 00
Jamison's Elements of Mechanical Drawing.....	8vo,	2 50
Advanced Mechanical Drawing.....	8vo,	2 00
Jones's Machine Design:		
Part I. Kinematics of Machinery.....	8vo,	1 50
Part II. Form, Strength, and Proportions of Parts.....	8vo,	3 00
MacCord's Elements of Descriptive Geometry.....	8vo,	3 00
Kinematics; or, Practical Mechanism.....	8vo,	5 00
Mechanical Drawing.....	4to,	4 00
Velocity Diagrams.....	8vo,	1 50
MacLeod's Descriptive Geometry.....	Small 8vo,	1 50
* Mahan's Descriptive Geometry and Stone-cutting.....	8vo,	1 50
Industrial Drawing. (Thompson.).....	8vo,	3 50
✓ Moyer's Descriptive Geometry.....	8vo,	2 00
Reed's Topographical Drawing and Sketching.....	4to,	5 00
Reid's Course in Mechanical Drawing.....	8vo,	2 00
Text-book of Mechanical Drawing and Elementary Machine Design.....	8vo,	3 00
Robinson's Principles of Mechanism.....	8vo,	3 00
Schwamb and Merrill's Elements of Mechanism.....	8vo,	3 00
Smith's (R. S.) Manual of Topographical Drawing. (McMillan.).....	8vo,	2 50
Smith (A. W.) and Marx's Machine Design.....	8vo,	3 00
Warren's Elements of Plane and Solid Free-hand Geometrical Drawing.....	12mo,	1 00
Drafting Instruments and Operations.....	12mo,	1 25
Manual of Elementary Projection Drawing.....	12mo,	1 50
Manual of Elementary Problems in the Linear Perspective of Form and Shadow.....	12mo,	1 00
Plane Problems in Elementary Geometry.....	12mo,	1 25

Warren's Primary Geometry	12mo,	75
Elements of Descriptive Geometry, Shadows, and Perspective.	8vo,	3 50
General Problems of Shades and Shadows	8vo,	3 00
Elements of Machine Construction and Drawing.	8vo,	7 50
Problems, Theorems, and Examples in Descriptive Geometry.	8vo,	2 50
Weisbach's Kinematics and Power of Transmission. (Hermann and Klein.)	8vo,	5 00
Whelpley's Practical Instruction in the Art of Letter Engraving.	12mo,	2 00
Wilson's (H. M.) Topographic Surveying.	8vo,	3 50
Wilson's (V. T.) Free-hand Perspective.	8vo,	2 50
Wilson's (V. T.) Free-hand Lettering.	8vo,	1 00
Woolf's Elementary Course in Descriptive Geometry.	Large 8vo,	3 00

ELECTRICITY AND PHYSICS.

Anthony and Brackett's Text-book of Physics. (Magie.)	Small 8vo,	3 00
Anthony's Lecture-notes on the Theory of Electrical Measurements.	12mo,	1 00
Benjamin's History of Electricity.	8vo,	3 00
Voltaic Cell.	8vo,	3 00
Classen's Quantitative Chemical Analysis by Electrolysis. (Boltwood.) ..	8vo,	3 00
Crehore and Squier's Polarizing Photo-chronograph.	8vo,	3 00
Dawson's "Engineering" and Electric Traction Pocket-book. 16mo, morocco,	5 00	
Dolezalek's Theory of the Lead Accumulator (Storage Battery). (Von Ende.)	12mo,	2 50
Duhem's Thermodynamics and Chemistry. (Burgess.)	8vo,	4 00
Flather's Dynamometers, and the Measurement of Power.	12mo,	3 00
✓ Gilbert's De Magnete. (Mottelay.)	8vo,	2 50
Hanchett's Alternating Currents Explained.	12mo,	1 00
Hering's Ready Reference Tables (Conversion Factors)	16mo, morocco,	2 50
✓ Holman's Precision of Measurements.	8vo,	2 00
Telescopic Mirror-scale Method, Adjustments, and Tests.	Large 8vo,	75
Kinzbrunner's Testing of Continuous-current Machines.	8vo,	2 00
✓ Landauer's Spectrum Analysis. (Tingle.)	8vo,	3 00
✓ Le Chatelier's High-temperature Measurements. (Boudouard—Burgess.) ..	12mo,	3 00
Löb's Electrochemistry of Organic Compounds. (Lorenz.)	8vo,	3 00
* Lyons's Treatise on Electromagnetic Phenomena. Vols. I. and II. 8vo, each,	6 00	
* Michie's Elements of Wave Motion Relating to Sound and Light.	8vo,	4 00
Niaudet's Elementary Treatise on Electric Batteries. (Fishback.) ..	12mo,	2 50
✓ Rosenberg's Electrical Engineering. (Haldane Gee—Kinzbrunner.) ..	8vo,	1 50
Ryan, Norris, and Hoxie's Electrical Machinery. Vol. I.	8vo,	2 50
Thurston's Stationary Steam-engines.	8vo,	2 50
* Tillman's Elementary Lessons in Heat.	8vo,	1 50
Tory and Pitcher's Manual of Laboratory Physics.	Small 8vo,	2 00
Ulke's Modern Electrolytic Copper Refining.	8vo,	3 00

LAW.

* Davis's Elements of Law.	8vo,	2 50
* Treatise on the Military Law of United States.	8vo,	7 00
*	Sheep,	7 50
Manual for Courts-martial.	16mo, morocco,	1 50
Wait's Engineering and Architectural Jurisprudence.	8vo,	6 00
.....	Sheep,	6 50
Law of Operations Preliminary to Construction in Engineering and Architecture.	8vo	5 00
.....	Sheep,	5 50
Law of Contracts.	8vo,	3 00
Winthrop's Abridgment of Military Law.	12mo,	2 50

MANUFACTURES.

Bernadou's Smokeless Powder—Nitro-cellulose and Theory of the Cellulose Molecule.....	12mo,	2 50
Bolland's Iron Founder.....	12mo,	2 50
"The Iron Founder," Supplement.....	12mo,	2 50
Encyclopedia of Founding and Dictionary of Foundry Terms Used in the Practice of Moulding.....	12mo,	3 00
Eissler's Modern High Explosives.....	8vo,	4 00
Effront's Enzymes and their Applications. (Prescott.).....	8vo,	3 00
Fitzgerald's Boston Machinist.....	12mo,	1 00
Ford's Boiler Making for Boiler Makers.....	18mo,	1 00
Hopkin's Oil-chemists' Handbook.....	8vo,	3 00
Keep's Cast Iron.....	8vo,	2 50
Leach's The Inspection and Analysis of Food with Special Reference to State Control.....	Large 8vo,	7 50
Matthews's The Textile Fibres.....	8vo,	3 50
Metcalf's Steel. A Manual for Steel-users.....	12mo,	2 00
Metcalf's Cost of Manufactures—And the Administration of Workshops.....	8vo,	5 00
Meyer's Modern Locomotive Construction.....	4to,	10 00
Morse's Calculations used in Cane-sugar Factories.....	16mo, morocco,	1 50
* Reisig's Guide to Piece-dyeing.....	8vo,	25 00
Sabin's Industrial and Artistic Technology of Paints and Varnish.....	8vo,	3 00
Smith's Press-working of Metals.....	8vo,	3 00
Spalding's Hydraulic Cement.....	12mo,	2 00
Spencer's Handbook for Chemists of Beet-sugar Houses.....	16mo, morocco,	3 00
Handbook for Cane Sugar Manufacturers.....	16mo, morocco,	3 00
Taylor and Thompson's Treatise on Concrete, Plain and Reinforced.....	8vo,	5 00
Thurston's Manual of Steam-boilers, their Designs, Construction and Operation.....	8vo,	5 00
* Walke's Lectures on Explosives.....	8vo,	4 00
Ware's Beet-sugar Manufacture and Refining.....	Small 8vo,	4 00
West's American Foundry Practice.....	12mo,	2 50
Moulder's Text-book.....	12mo,	2 50
Wolff's Windmill as a Prime Mover.....	8vo,	3 00
Wood's Rustless Coatings: Corrosion and Electrolysis of Iron and Steel.....	8vo,	4 00

MATHEMATICS.

Baker's Elliptic Functions.....	8vo,	1 50
* Bass's Elements of Differential Calculus.....	12mo,	4 00
Briggs's Elements of Plane Analytic Geometry.....	12mo,	1 00
Compton's Manual of Logarithmic Computations.....	12mo,	1 50
Davis's Introduction to the Logic of Algebra.....	8vo,	1 50
✓* Dickson's College Algebra.....	Large 12mo,	1 50
✓ Introduction to the Theory of Algebraic Equations.....	Large 12mo,	1 25
Emch's Introduction to Projective Geometry and its Applications.....	8vo,	2 50
Halsted's Elements of Geometry.....	8vo,	1 75
Elementary Synthetic Geometry.....	8vo,	1 50
Rational Geometry.....	12mo,	1 75
* Johnson's (J. B.) Three-place Logarithmic Tables: Vest-pocket size, paper,		15
100 copies for		5 00
* Mounted on heavy cardboard, 8×10 inches,		25
10 copies for		2 00
Johnson's (W. W.) Elementary Treatise on Differential Calculus.. Small 8vo,		3 00
Johnson's (W. W.) Elementary Treatise on the Integral Calculus. Small 8vo,		1 50

Johnson's (W. W.) Curve Tracing in Cartesian Co-ordinates.....	12mo,	1 00
✓ Johnson's (W. W.) Treatise on Ordinary and Partial Differential Equations.	Small 8vo,	3 50
✓ Johnson's (W. W.) Theory of Errors and the Method of Least Squares.....	12mo,	1 50
* Johnson's (W. W.) Theoretical Mechanics.....	12mo,	3 00
✓ Laplace's Philosophical Essay on Probabilities. (Truscott and Emory.).....	12mo,	2 00
* Ludlow and Bass. Elements of Trigonometry and Logarithmic and Other Tables.....	8vo,	3 00
Trigonometry and Tables published separately.....	Each,	2 00
* Ludlow's Logarithmic and Trigonometric Tables.....	8vo,	1 00
Mathematical Monographs. Edited by Mansfield Merriman and Robert S. Woodward.....	Octavo, each	1 00
No. 1. History of Modern Mathematics, by David Eugene Smith.		
No. 2. Synthetic Projective Geometry, by George Bruce Halsted.		
No. 3. Determinants, by Laenas Gifford Weld. ✓ No. 4. Hyperbolic Functions, by James McMahon. ✓ No. 5. Harmonic Functions, by William E. Byerly. No. 6. Grassmann's Space Analysis, by Edward W. Hyde. No. 7. Probability and Theory of Errors, by Robert S. Woodward. No. 8. Vector Analysis and Quaternions, by Alexander Macfarlane. No. 9. Differential Equations, by William Woolsey Johnson. No. 10. The Solution of Equations, by Mansfield Merriman. No. 11. Functions of a Complex Variable, by Thomas S. Fiske.		
Maurer's Technical Mechanics.....	8vo,	4 00
Merriman and Woodward's Higher Mathematics.....	8vo,	5 00
✓ Merriman's Method of Least Squares.....	8vo,	2 00
Rice and Johnson's Elementary Treatise on the Differential Calculus.. Sm.	8vo,	3 00
Differential and Integral Calculus. 2 vols. in one.....	Small 8vo,	2 50
Wood's Elements of Co-ordinate Geometry.....	8vo,	2 00
Trigonometry: Analytical, Plane, and Spherical.....	12mo,	1 00

MECHANICAL ENGINEERING.

MATERIALS OF ENGINEERING, STEAM-ENGINES AND BOILERS.

Bacon's Forge Practice.....	12mo,	1 50
Baldwin's Steam Heating for Buildings.....	12mo,	2 50
Barr's Kinematics of Machinery.....	8vo,	2 50
* Bartlett's Mechanical Drawing.....	8vo,	3 00
* " " " Abridged Ed.....	8vo,	1 50
Benjamin's Wrinkles and Recipes.....	12mo,	2 00
✓ Carpenter's Experimental Engineering.....	8vo,	6 00
Heating and Ventilating Buildings.....	8vo,	4 00
Cary's Smoke Suppression in Plants using Bituminous Coal. (In Preparation.)		
Clerk's Gas and Oil Engine.....	Small 8vo,	4 00
Coolidge's Manual of Drawing.....	8vo, paper,	1 00
Coolidge and Freeman's Elements of General Drafting for Mechanical Engineers.....	Oblong 4to,	2 50
Cromwell's Treatise on Toothed Gearing.....	12mo,	1 50
Treatise on Belts and Pulleys.....	12mo,	1 50
Durley's Kinematics of Machines.....	8vo,	4 00
Flather's Dynamometers and the Measurement of Power.....	12mo,	3 00
Rope Driving.....	12mo,	2 00
Gill's Gas and Fuel Analysis for Engineers.....	12mo,	1 25
Hall's Car Lubrication.....	12mo,	1 00
Hering's Ready Reference Tables (Conversion Factors).....	16mo, morocco,	2 50

Hutton's The Gas Engine.8vo,	5 00
Jamison's Mechanical Drawing.8vo,	2 50
Jones's Machine Design:		
Part I. Kinematics of Machinery.8vo,	1 50
Part II. Form, Strength, and Proportions of Parts.8vo,	3 00
Kent's Mechanical Engineers' Pocket-book.	16mo, morocco,	5 00
Kerr's Power and Power Transmission.8vo,	2 00
Leonard's Machine Shop, Tools, and Methods.8vo,	4 00
* Lorenz's Modern Refrigerating Machinery. (Pope, Haven, and Dean.)8vo,	4 00
MacCord's Kinematics; or, Practical Mechanism.8vo,	5 00
Mechanical Drawing.4to,	4 00
Velocity Diagrams.8vo,	1 50
MacFarland's Standard Reduction Factors for Gases.8vo,	1 50
Mahan's Industrial Drawing. (Thompson.)8vo,	3 50
Poole's Calorific Power of Fuels.8vo,	3 00
Reid's Course in Mechanical Drawing.8vo,	2 00
Text-book of Mechanical Drawing and Elementary Machine Design.8vo,	3 00
Richard's Compressed Air	12mo,	1 50
Robinson's Principles of Mechanism.8vo,	3 00
Schwamb and Merrill's Elements of Mechanism.8vo,	3 00
Smith's (O.) Press-working of Metals.8vo,	3 00
Smith (A. W.) and Marx's Machine Design.8vo,	3 00
Thurston's Treatise on Friction and Lost Work in Machinery and Mill Work.8vo,	3 00
Animal as a Machine and Prime Motor, and the Laws of Energetics.	12mo,	1 00
Warren's Elements of Machine Construction and Drawing.8vo,	7 50
Weisbach's Kinematics and the Power of Transmission. (Herrmann—Klein.)8vo,	5 00
Machinery of Transmission and Governors. (Herrmann—Klein.)8vo,	5 00
Wolff's Windmill as a Prime Mover.8vo,	3 00
Wood's Turbines.8vo,	2 50

MATERIALS OF ENGINEERING.

* Bovey's Strength of Materials and Theory of Structures.8vo,	7 50
Burr's Elasticity and Resistance of the Materials of Engineering. 6th Edition.		
Reset.8vo,	7 50
Church's Mechanics of Engineering.8vo,	6 00
* Greene's Structural Mechanics8vo,	2 50
Johnson's Materials of Construction.8vo,	6 00
Keep's Cast Iron.8vo,	2 50
Lanza's Applied Mechanics.8vo,	7 50
Martens's Handbook on Testing Materials. (Henning.)8vo,	7 50
Maurer's Technical Mechanics.8vo,	4 00
Merriman's Mechanics of Materials.8vo,	5 00
Strength of Materials	12mo,	1 00
Metcalf's Steel. A manual for Steel-users.	12mo,	2 00
Sabin's Industrial and Artistic Technology of Paints and Varnish.8vo,	3 00
Smith's Materials of Machines.	12mo,	1 00
Thurston's Materials of Engineering.	3 vols.,	8vo, 8 00
Part II. Iron and Steel.8vo,	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and their Constituents.8vo,	2 50
Text-book of the Materials of Construction.8vo,	5 00
Wood's (De V.) Treatise on the Resistance of Materials and an Appendix on the Preservation of Timber.8vo,	2 00

Wood's (De V.) Elements of Analytical Mechanics.	8vo,	3 00
Wood's (M. P.) Rustless Coatings: Corrosion and Electrolysis of Iron and Steel.	8vo,	4 00

STEAM-ENGINES AND BOILERS.

Berry's Temperature-entropy Diagram.	12mo,	1 25
✓ Carnot's Reflections on the Motive Power of Heat. (Thurston.).	12mo,	1 50
Dawson's "Engineering" and Electric Traction Pocket-book.	16mo, mor.,	5 00
Ford's Boiler Making for Boiler Makers.	18mo,	1 00
Goss's Locomotive Sparks.	8vo,	2 00
Hemenway's Indicator Practice and Steam-engine Economy.	12mo,	2 00
Hutton's Mechanical Engineering of Power Plants.	8vo,	5 00
Heat and Heat-engines.	8vo,	5 00
Kent's Steam boiler Economy.	8vo,	4 00
Kneass's Practice and Theory of the Injector.	8vo,	1 50
MacCord's Slide-valves.	8vo,	2 00
Meyer's Modern Locomotive Construction.	4to,	10 00
Peabody's Manual of the Steam-engine Indicator.	12mo,	1 50
Tables of the Properties of Saturated Steam and Other Vapors.	8vo,	1 00
Thermodynamics of the Steam-engine and Other Heat-engines.	8vo,	5 00
Valve-gears for Steam-engines.	8vo,	2 50
Peabody and Miller's Steam-boilers.	8vo,	4 00
Pray's Twenty Years with the Indicator.	Large 8vo,	2 50
Pupin's Thermodynamics of Reversible Cycles in Gases and Saturated Vapors. (Osterberg.).	12mo,	1 25
Reagan's Locomotives: Simple Compound, and Electric.	12mo,	2 50
Rontgen's Principles of Thermodynamics. (Du Bois.).	8vo,	5 00
Sinclair's Locomotive Engine Running and Management.	12mo,	2 00
Smart's Handbook of Engineering Laboratory Practice.	12mo,	2 50
Snow's Steam-boiler Practice.	8vo,	3 00
Spangler's Valve-gears.	8vo,	2 50
Notes on Thermodynamics.	12mo,	1 00
Spangler, Greene, and Marshall's Elements of Steam-engineering.	8vo,	3 00
Thurston's Handy Tables.	8vo,	1 50
Manual of the Steam-engine.	2 vols., 8vo,	10 00
Part I. History, Structure, and Theory.	8vo,	6 00
Part II. Design, Construction, and Operation.	8vo,	6 00
Handbook of Engine and Boiler Trials, and the Use of the Indicator and the Prony Brake.	8vo,	5 00
Stationary Steam-engines.	8vo,	2 50
Steam-boiler Explosions in Theory and in Practice.	12mo,	1 50
Manual of Steam-boilers, their Designs, Construction, and Operation.	8vo,	5 00
Weisbach's Heat, Steam, and Steam-engines. (Du Bois.).	8vo,	5 00
Whitham's Steam-engine Design.	8vo,	5 00
Wilson's Treatise on Steam-boilers. (Flather.).	16mo,	2 50
Wood's Thermodynamics, Heat Motors, and Refrigerating Machines.	8vo,	4 00

MECHANICS AND MACHINERY.

Barr's Kinematics of Machinery.	8vo,	2 50
* Bovey's Strength of Materials and Theory of Structures.	8vo,	7 50
Chase's The Art of Pattern-making.	12mo,	2 50
Church's Mechanics of Engineering.	8vo,	6 00
Notes and Examples in Mechanics.	8vo,	2 00
Compton's First Lessons in Metal-working.	12mo,	1 50
Compton and De Groodt's The Speed Lathe.	12mo,	1 50

Cromwell's Treatise on Toothed Gearing.....	12mo,	1 50
Treatise on Belts and Pulleys.....	12mo,	1 50
Dana's Text-book of Elementary Mechanics for Colleges and Schools.....	12mo,	1 50
Dingey's Machinery Pattern Making.....	12mo,	2 00
Dredge's Record of the Transportation Exhibits Building of the World's Columbian Exposition of 1893.....	4to half morocco,	5 00
Du Bois's Elementary Principles of Mechanics:		
Vol. I. Kinematics.....	8vo,	3 50
Vol. II. Statics.....	8vo,	4 00
Mechanics of Engineering. Vol. I.....	Small 4to,	7 50
Vol. II.....	Small 4to,	10 00
✓Durley's Kinematics of Machines.....	8vo,	4 00
Fitzgerald's Boston Machinist.....	16mo,	1 00
✓Flather's Dynamometers, and the Measurement of Power.....	12mo,	3 00
Rope Driving.....	12mo,	2 00
Goss's Locomotive Sparks.....	8vo,	2 00
* Greene's Structural Mechanics.....	8vo,	2 50
Hall's Car Lubrication.....	12mo,	1 00
Holly's Art of Saw Filing.....	18mo,	75
James's Kinematics of a Point and the Rational Mechanics of a Particle.....	Small 8vo,	2 00
* Johnson's (W. W.) Theoretical Mechanics.....	12mo,	3 00
✓Johnson's (L. J.) Statics by Graphic and Algebraic Methods.....	8vo,	2 00
Jones's Machine Design:		
Part I. Kinematics of Machinery.....	8vo,	1 50
Part II. Form, Strength, and Proportions of Parts.....	8vo,	3 00
Kerr's Power and Power Transmission.....	8vo,	2 00
Lanza's Applied Mechanics.....	8vo,	7 50
Leonard's Machine Shop, Tools, and Methods.....	8vo,	4 00
* Lorenz's Modern Refrigerating Machinery. (Pope, Haven, and Dean.).....	8vo,	4 00
MacCord's Kinematics; or, Practical Mechanism.....	8vo,	5 00
Velocity Diagrams.....	8vo,	1 50
✓Maurer's Technical Mechanics.....	8vo,	4 00
✓Merriman's Mechanics of Materials.....	8vo,	5 00
✓Elements of Mechanics.....	12mo,	1 00
* Michie's Elements of Analytical Mechanics.....	8vo,	4 00
Reagan's Locomotives: Simple, Compound, and Electric.....	12mo,	2 50
Reid's Course in Mechanical Drawing.....	8vo,	2 00
Text-book of Mechanical Drawing and Elementary Machine Design.....	8vo,	3 00
Richards's Compressed Air.....	12mo,	1 50
Robinson's Principles of Mechanism.....	8vo,	3 00
Ryan, Norris, and Hoxie's Electrical Machinery. Vol. I.....	8vo,	2 50
Schwamb and Merrill's Elements of Mechanism.....	8vo,	3 00
Sinclair's Locomotive-engine Running and Management.....	12mo,	2 00
✓Smith's (O.) Press-working of Metals.....	8vo,	3 00
Smith's (A. W.) Materials of Machines.....	12mo,	1 00
✓Smith (A. W.) and Marx's Machine Design.....	8vo,	3 00
✓Spangler, Greene, and Marshal's Elements of Steam-engineering.....	8vo,	3 00
Thurston's Treatise on Friction and Lost Work in Machinery and Mill Work.....	8vo,	3 00
Animal as a Machine and Prime Motor, and the Laws of Energetics.....	12mo,	1 00
Warren's Elements of Machine Construction and Drawing.....	8vo,	7 50
Weisbach's Kinematics and Power of Transmission. (Herrmann—Klein.).....	8vo,	5 00
Machinery of Transmission and Governors. (Herrmann—Klein.).....	8vo,	5 00
Wood's Elements of Analytical Mechanics.....	8vo,	3 00
Principles of Elementary Mechanics.....	12mo,	1 25
Turbines.....	8vo,	2 50
The World's Columbian Exposition of 1893.....	4to,	1 00

METALLURGY.

Egleston's Metallurgy of Silver, Gold, and Mercury:

Vol. I. Silver.	8vo,	7 50
Vol. II. Gold and Mercury.	8vo,	7 50
** Iles's Lead-smelting. (Postage 9 cents additional.)	12mo,	2 50
Keep's Cast Iron:	8vo,	2 50
Kunhardt's Practice of Ore Dressing in Europe.	8vo,	1 50
Le Chatelier's High-temperature Measurements. (Boudouard—Burgess.)	12mo,	3 00
Metcalf's Steel. A Manual for Steel-users.	12mo,	2 00
Minet's Production of Aluminum and its Industrial Use. (Waldo.)	12mo,	2 50
Robine and Lenglen's Cyanide Industry. (Le Clerc.)	8vo,	
Smith's Materials of Machines.	12mo,	1 00
Thurston's Materials of Engineering. In Three Parts.	8vo,	8 00
Part II. Iron and Steel.	8vo,	3 50
Part III. A Treatise on Brasses, Bronzes, and Other Alloys and their Constituents.	8vo,	2 50
Ulke's Modern Electrolytic Copper Refining.	8vo,	3 00

MINERALOGY.

Barringer's Description of Minerals of Commercial Value. Oblong, morocco,	2 50
Boyd's Resources of Southwest Virginia.	8vo, 3 00
Map of Southwest Virginia.	Pocket-book form, 2 00
Brush's Manual of Determinative Mineralogy. (Penfield.)	8vo, 4 00
Chester's Catalogue of Minerals.	8vo, paper, 1 00
Dictionary of the Names of Minerals.	Cloth, 1 25
Dictionary of the Names of Minerals.	8vo, 3 50
Dana's System of Mineralogy.	Large 8vo, half leather, 12 50
First Appendix to Dana's New "System of Mineralogy."	Large 8vo, 1 00
✓Text-book of Mineralogy.	8vo, 4 00
Minerals and How to Study Them	12mo, 1 50
Catalogue of American Localities of Minerals.	Large 8vo, 1 00
Manual of Mineralogy and Petrography.	12mo, 2 00
Douglas's Untechnical Addresses on Technical Subjects.	12mo, 1 00
✓Eakle's Mineral Tables.	8vo, 1 25
Egleston's Catalogue of Minerals and Synonyms.	8vo, 2 50
Hussak's The Determination of Rock-forming Minerals. (Smith.)	Small 8vo, 2 00
Merrill's Non-metallic Minerals: Their Occurrence and Uses.	8vo, 4 00
* Penfield's Notes on Determinative Mineralogy and Record of Mineral Tests.	8vo, paper, 50
Rosenbusch's Microscopical Physiography of the Rock-making Minerals.	
(Iddings.)	8vo, 5 00
* Tillman's Text-book of Important Minerals and Rocks.	8vo, 2 00

MINING.

Beard's Ventilation of Mines.	12mo,	2 50
Boyd's Resources of Southwest Virginia.	8vo,	3 00
Map of Southwest Virginia.	Pocket-book form,	2 00
Douglas's Untechnical Addresses on Technical Subjects.	12mo,	1 00
* Drinker's Tunneling, Explosive Compounds, and Rock Drills.	4to, hf. mor.,	25 00
Eissler's Modern High Explosives.	8vo,	4 00

Fowler's Sewage Works Analyses.....	12mo,	2 00
Goodyear's Coal-mines of the Western Coast of the United States.....	12mo,	2 50
✓ Ihlseug's Manual of Mining.....	8vo,	5 00
** Iles's Lead-smelting. (Postage 9c. additional.).....	12mo,	2 50
Kunhardt's Practice of Ore Dressing in Europe.....	8vo,	1 50
O'Driscoll's Notes on the Treatment of Gold Ores.....	8vo,	2 00
Robine and Lenglen's Cyanide Industry. (Le Clerc.).....	8vo,	
* Walke's Lectures on Explosives.....	8vo,	4 00
Wilson's Cyanide Processes.....	12mo,	1 50
Chlorination Process.....	12mo,	1 50
Hydraulic and Placer Mining.....	12mo,	2 00
Treatise on Practical and Theoretical Mine Ventilation.....	12mo,	1 25

SANITARY SCIENCE.

Bashore's Sanitation of a Country House.....	12mo,	1 00
Folwell's Sewerage. (Designing, Construction, and Maintenance.)....	8vo,	3 00
Water-supply Engineering.....	8vo,	4 00
Fuertes's Water and Public Health.....	12mo,	1 50
Water-filtration Works.....	12mo,	2 50
Gerhard's Guide to Sanitary House-inspection.....	16mo,	1 00
Goodrich's Economic Disposal of Town's Refuse.....	Demy 8vo,	3 50
Hazen's Filtration of Public Water-supplies.....	8vo,	3 00
Leach's The Inspection and Analysis of Food with Special Reference to State Control.....	8vo,	7 50
Mason's Water-supply. (Considered principally from a Sanitary Standpoint) 8vo,		4 00
Examination of Water. (Chemical and Bacteriological.).....	12mo,	1 25
Ogden's Sewer Design.....	12mo,	2 00
Prescott and Winslow's Elements of Water Bacteriology, with Special Reference to Sanitary Water Analysis.....	12mo,	1 25
* Price's Handbook on Sanitation.....	12mo,	1 50
Richards's Cost of Food. A Study in Dietaries.....	12mo,	1 00
Cost of Living as Modified by Sanitary Science.....	12mo,	1 00
Richards and Woodman's Air, Water, and Food from a Sanitary Standpoint.....	8vo,	2 00
* Richards and Williams's The Dietary Computer.....	8vo,	1 50
Rideal's Sewage and Bacterial Purification of Sewage.....	8vo,	3 50
Turneure and Russell's Public Water-supplies.....	8vo,	5 00
Von Behring's Suppression of Tuberculosis. (Bolduan.).....	12mo,	1 00
Whipple's Microscopy of Drinking-water.....	8vo,	3 50
Winton's Microscopy of Vegetable Foods.....	8vo,	7 50
Woodhull's Notes on Military Hygiene.....	16mo,	1 50

MISCELLANEOUS.

De Fursac's Manual of Psychiatry. (Rosanoff and Collins.)....	Large 12mo,	2 50
Emmons's Geological Guide-book of the Rocky Mountain Excursion of the International Congress of Geologists.....	Large 8vo,	1 50
Ferrel's Popular Treatise on the Winds.....	8vo,	4 00
Haines's American Railway Management.....	12mo,	2 50
Mott's Fallacy of the Present Theory of Sound.....	16mo,	1 00
Ricketts's History of Rensselaer Polytechnic Institute, 1824-1894..	Small 8vo,	3 00
Rostowski's Serum Diagnosis. (Bolduan.).....	12mo,	1 00
Rotherham's Emphasized New Testament.....	Large 8vo,	2 00

Steel's Treatise on the Diseases of the Dog.....	8vo.	3 50
The World's Columbian Exposition of 1893.....	4to.	1 00
Von Behring's Suppression of Tuberculosis. (Bolduan.).....	12mo.	1 00
Winslow's Elements of Applied Microscopy.....	12mo.	1 50
Worcester and Atkinson. Small Hospitals, Establishment and Maintenance; Suggestions for Hospital Architecture: Plans for Small Hospital. 12mo.		1 25

HEBREW AND CHALDEE TEXT-BOOKS.

Green's Elementary Hebrew Grammar.....	12mo.	1 25
Hebrew Chrestomathy.....	8vo.	2 00
Gesenius's Hebrew and Chaldee Lexicon to the Old Testament Scriptures. (Tregelles.).....	Small 4to, half morocco.	5 00
Letteris's Hebrew Bible.....	8vo.	2 25

SHORT-TITLE CATALOGUE

OF THE
PUBLICATIONS

OF
JOHN WILEY & SONS,

NEW YORK.

LONDON: CHAPMAN & HALL, LIMITED.

ARRANGED UNDER SUBJECTS.

Descriptive circulars sent on application. Books marked with an asterisk (*) are sold at *net* prices only, a double asterisk (**) books sold under the rules of the American Publishers' Association at *net* prices subject to an extra charge for postage. All books are bound in cloth unless otherwise stated.

AGRICULTURE.

Armsby's Manual of Cattle-feeding.	12mo, \$1 75
Principles of Animal Nutrition.	8vo, 4 00
Budd and Hansen's American Horticultural Manual:	
Part I. Propagation, Culture, and Improvement.	12mo, 1 50
Part II. Systematic Pomology.	12mo, 1 50
Downing's Fruits and Fruit-trees of America.	8vo, 5 00
Elliott's Engineering for Land Drainage.	12mo, 1 50
Practical Farm Drainage.	12mo, 1 00
Green's Principles of American Forestry.	12mo, 1 50
Grotenfelt's Principles of Modern Dairy Practice. (Woll.).	12mo, 2 00
Kemp's Landscape Gardening.	12mo, 2 50
Maynard's Landscape Gardening as Applied to Home Decoration.	12mo, 1 50
* McKay and Larsen's Principles and Practice of Butter-making.	8vo, 1 50
Sanderson's Insects Injurious to Staple Crops.	12mo, 1 50
Insects Injurious to Garden Crops. (In preparation.)	
Insects Injuring Fruits. (In preparation.)	
Stockbridge's Rocks and Soils.	8vo, 2 50
Winton's Microscopy of Vegetable Foods.	8vo, 7 50
Woll's Handbook for Farmers and Dairymen.	16mo, 1 50

ARCHITECTURE.

Baldwin's Steam Heating for Buildings.	12mo. 2 50
Bashore's Sanitation of a Country House.	12mo, 1 00
Berg's Buildings and Structures of American Railroads.	4to, 5 00
Birkmire's Planning and Construction of American Theatres.	8vo, 3 00
Architectural Iron and Steel.	8vo, 3 50
Compound Riveted Girders as Applied in Buildings.	8vo, 2 00
Planning and Construction of High Office Buildings.	8vo, 3 50
Skeleton Construction in Buildings.	8vo, 3 00
Brigg's Modern American School Buildings.	8vo, 4 00
Carpenter's Heating and Ventilating of Buildings.	8vo, 4 00
Freitag's Architectural Engineering.	8vo, 3 50
Fireproofing of Steel Buildings.	8vo, 2 50
French and Ives's Stereotomy.	8vo, 2 50

Gerhard's Guide to Sanitary House-inspection.	16mo,	1 00
Theatre Fires and Panics.	12mo.	1 50
*Greene's Structural Mechanics.	8vo,	2 50
Holly's Carpenters' and Joiners' Handbook.	18mo,	75
Johnson's Statics by Algebraic and Graphic Methods.	8vo,	2 00
Kidder's Architects' and Builders' Pocket-book. Rewritten Edition.	16mo, mor.,	5 00
Merrill's Stones for Building and Decoration.	5 00	
Non-metallic Minerals: Their Occurrence and Uses.	8vo,	4 00
Monckton's Stair-building.	4to,	4 00
Patton's Practical Treatise on Foundations.	8vo,	5 00
Peabody's Naval Architecture.	8vo,	7 50
Richey's Handbook for Superintendents of Construction.	16mo, mor.,	4 00
Sabin's Industrial and Artistic Technology of Paints and Varnish.	8vo,	3 00
Siebert and Biggin's Modern Stone-cutting and Masonry.	8vo,	1 50
Snow's Principal Species of Wood.	8vo,	3 50
Sondericker's Graphic Statics with Applications to Trusses, Beams, and Arches.	8vo,	2 00
Towne's Locks and Builders' Hardware.	18mo, morocco,	3 00
Wait's Engineering and Architectural Jurisprudence	8vo,	6 00
	Sheep,	6 50
Law of Operations Preliminary to Construction in Engineering and Architecture.	8vo,	5 00
	Sheep,	5 50
Law of Contracts.	8vo,	3 00
Wood's Rustless Coatings: Corrosion and Electrolysis of Iron and Steel.	8vo,	4 00
Worcester and Atkinson's Small Hospitals, Establishment and Maintenance, Suggestions for Hospital Architecture, with Plans for a Small Hospital.	12mo,	1 25
The World's Columbian Exposition of 1893.	Large 4to,	1 00

ARMY AND NAVY.

Bernadou's Smokeless Powder, Nitro-cellulose, and the Theory of the Cellulose Molecule.	12mo,	2 50
* Bruff's Text-book Ordnance and Gunnery.	8vo,	6 00
Chase's Screw Propellers and Marine Propulsion.	8vo,	3 00
Cloke's Gunner's Examiner.	8vo,	1 50
Craig's Azimuth.	4to,	3 50
Crehore and Squier's Polarizing Photo-chronograph.	8vo,	3 00
* Davis's Elements of Law.	8vo,	2 50
* Treatise on the Military Law of United States.	8vo,	7 00
	Sheep,	7 50
De Brack's Cavalry Outposts Duties. (Carr.).	24mo, morocco,	2 00
Dietz's Soldier's First Aid Handbook.	16mo, morocco,	1 25
* Dredge's Modern French Artillery.	4to, half morocco,	15 00
Durand's Resistance and Propulsion of Ships.	8vo,	5 00
* Dyer's Handbook of Light Artillery.	12mo,	3 00
Eissler's Modern High Explosives.	8vo,	4 00
* Fiebigger's Text-book on Field Fortification.	Small 8vo,	2 00
Hamilton's The Gunner's Catechism	18mo,	1 00
* Hoff's Elementary Naval Tactics.	8vo,	1 50
Ingalls's Handbook of Problems in Direct Fire.	8vo,	4 00
* Ballistic Tables.	8vo,	1 50
* Lyons's Treatise on Electromagnetic Phenomena. Vols. I. and II.	8vo, each,	6 00
* Mahan's Permanent Fortifications. (Mercur.).	8vo, half morocco,	7 50
Manual for Courts-martial.	16mo, morocco,	1 50
* Mercur's Attack of Fortified Places.	12mo,	2 00
* Elements of the Art of War.	8vo,	4 00

etc
psi s-a
85

14 DAY USE
RETURN TO DESK FROM WHICH BORROWED
LOAN DEPT.

This book is due on the last date stamped below, or
on the date to which renewed.

Renewed books are subject to immediate recall.

17 Jul '65 AA

JUN 2 '66 40 RCD

LD 21A-60m-3,'65
(F2336s10)476B

General Library
University of California
Berkeley

QA191

W4

235463

Wald

